

a

emotional light

www.a-emotionallight.com

handmade in Spain

INDEX

TABLE LAMPS 13 - 16



BEC001
13



CLO2
13




CV01
14



HI01
14



NE01
14



NE02
15



ON02
15



PL01
15




TA02
16



UR01
16

FLOOR LAMPS 18 - 21



AF03
18




BEC003
19



CLO3
19




CV03G
19



GE03
20




UR03
20



VG03A
20




VG03B
21



VV03
21

PENDANT LAMPS
22 - 56



A104
22



AG104
23




AG204
23-24



AG304
24



AG404
25



BAPI04
25-26



BARE04
27



BALA04
28



BEC004
28-29



BL04
29



CM104
29



CM104G
30



CM204
30



CM204G
30



CA04A
31



CA04B
31-32



CA04AG
32




COCY04
33



COGA04
33-34



CORE04
34




COSE04
35




COAU04
35-36




COAU04G
36



CV04-1
37



CV04
37



CV04G
37




FL04
38



GE04
38-39



IN04
39



KT04-LD
39




LA04
40



LS04
41



LS04G
41-42



MY04
42




MY04G
42



NE04-1
42-43



NE04
43




NE04G
43




ON04-MINI
44



ON04-1
44-45



ON04
45



ON04G
46



PLO4-MINI
46




PLO4
47




PLO4G
47



SH04-1-LD
47



SH04-LD
48



TA04-1
48



TA04
49



TA04G
49



TEAN04
49-50



TEVI04
50-51



UR104
51-52



UR204
52




UR304
53



VG04A
53-54




VG04B
54-55




VV04
55



VV04G
56




VN04-LD
56



WD04
56

COMPOSITIONS
57 - 65



BA04-3
58




CA04A-3
59



CA04AB-3
59




CA04A-4
59




CA04A-6
60




CO04-3
60




CO04-5
61




CO04-10
61




CV04C-3
62




CV04-7
62




FL04-4
62




FL04-16
63




MY04-3
63



NE04-6
63




NE04-11
64



TA04-3
64



TA04-5
64



TA04-10
65



UR04-3
65

WALL & CEILING LAMPS
66 - 76



BA06
66



BL06
67



CR06
67




CV06
68




GE06
68




KL06
69




KT06-LD
69



KT06G-LD
70



LI06
70



LI06G
70-71




MY06
71




NE06P
71-72




NE06
72



ON06
73



ON06G
73



PM06R-LD
74




PM06PR-LD
74




TA06
74-75



TA06P
75



TA06G
76



VE06
76

1 Painted stainless steel mesh Malla de acero inoxidable pintada

The stainless steel mesh is a cold industrial material that through manual techniques is converted into lamps. The physical characteristics of these materials allows through methods developed by our team, they can be folded, molded and cut resulting in creative freedom designs. The paint finish adds to this resistant and compact material a greater durability and facilitates its maintenance and cleaning.

Colors & codes: White [BL], beige [BE], grey [G], taupe [T].

NCS Code: White [S 0500-N], beige [S 3020-Y30R], grey [S 2500-N], taupe [S 3005-Y80R].

Collections: Africa, Agasallo, Ballet, Coral, Cors, Gea, Hipatia, Inn, Kala, Kite, Lea, Luisa, Nevo, Onn, Planum, Tati, Tempo, Ura, Virginia, Venus.

Clara and Mytilus only available in white. Cambo only available in black or white.

4 Painted stainless steel thread Hilo de acero inoxidable

The stainless steel thread interlaced and embroidered on itself, creates random, light, seemingly fragile volumes, but durable thanks to the sturdiness that paint finish brings.

Colors & codes: White [B].

Collections: Blum, Pili.

2 Plywood Tablero marino

Available in yellow, white and wenge the plywood is used in a different way. Showing the internal face of this material, we create designs where the light is stained by the laminate of the wood. Its characteristics make maintenance easy and present a long durability.

Colors & codes: White [B], yellow [AM], wengue [WE].

Collections: Shio.

5 Galvanized steel mesh Malla de acero galvanizado

The application of galvanized steel mesh is another example of a different use of the material. The malleability of this material and its hollow light allows it, through painting processes, to become a material with a delicate appearance but of high quality and durability.

Color & code: White [B].

Collection: Fluo.


3 Cellulose cord Cordón de celulosa

The pressed cellulose cord is a pleasant texture material and has a wide range of colors. This medium flammability component is obtained from pressed cellulose and is molded using its own techniques. Due to its physical characteristics it is not recommended to wet the material for cleaning.


Colors & codes: White [42], grey [43], red [46], brown [47], gold yellow [48], medium brown [49], beige [50], green [51], blue [52].

Collection: Caos.






1





2



3



5



4



6 Glass

Our semi-handmade glass presents irregular watermarks that gives personality to this material. This opalescent glass comes in a wide range of bright colors.

Colors & codes: White [02], sand [87], dark amber [89], brown [90], beige [95]. El color beige [95] solo está disponible para la combinación con marrón [90] en la colección Vento.

Collections: Curvas, Vento.

9 Birch wood Abedul

A material of high durability and easy maintenance. The birch wood is characterized by its light color and low contrast, allowing easy manual processing. The light that escapes between the wooden slats turns this material into a warm and elegant wood.

Collection: Woods.

7 Pressed cellulose

The pressed cellulose, through a suitable refining process, is a highly flexible and moldable material. Resistant and high durable, it comes in a wide range of colors. Due to its physical characteristics it is not recommended to wet the material.

Colors & codes: White [42], grey [43], red [46], brown [47], gold yellow [48], medium brown [49], beige [50], green [51], blue [52].

Collections: Bety Eco, Li

10 Ash wood Fresno

Ash wood is polyvalent and especially flexible. Its resistance make it a high quality material that, through manual processes, allows curved and durable finishes.

Collection: Aimei.

8 Beech wood Haya

Beech wood is hard and characteristic for its clear and natural shades. This material is easy to work with and the varnishing makes it a very durable and easy to maintain material.

Collection: Cambo.

11 Polycarbonate Policarbonato

Through plastic injection technology, this material is consistently made and is available in two colors. The personalized shape of each piece allows the realization of luminaires of large dimensions and easy maintenance

Colors & codes: White [B], black [N], terracotta [TE].


Collection: V.

6



white
02

7




white
42



medium brown
49

9



sand
87





grey
43




beige
50


10



dark amber
89




red
46




green
51


11




white
B




brown
90



brown
47



blue
52




black
N

8



gold yellow
48



terracotta
TE

AUTHENTICITY GUARANTEE

All lamps are labelled with an identification code and serial number. This fixture is an exclusive and authentic design of the company a-emotional light. It is entirely handmade in Spain and passes strict quality controls before its entrance into the market.

All our lamps are totally handmade. The differences found in our luminaires and in the different materials used make them unique. Small differences between lamps are not a defect, it is a value because each one is a unique object. The indicated lampshade dimensions are only approximate, never exact.

Some dimensions and/or electrical data may vary, consult your sales advisor.

SYMBOL INDEX



Awarded by Interior Design Magazine, New York



The luminaires made of painted stainless steel mesh can be chosen by RAL or NCS code (see conditions).



For North America, these items comply with the UL standard for luminaires under the UL file of a-emotional light



Only for the USA, these items comply with the UL standard for luminaires under the UL file of a-emotional light



As awarded by the International Interior Design Association (IIDA) and Hospitality Design magazine



According to Americans with Disabilities Act



With ground devices
Con toma de tierra



Double insulation and/or reinforced insulation in every part and without ground devices



As awarded by the Chicago Athenaeum Museum of Architecture and Design



Luminaire to use with tungsten halogen bulbs with own protection shield



The device is not suitable for installation on normally inflammable surface



Available with LED built-in technology


0-10V & PCO

PHASE CONTROL only for 120Vac

Regulation of luminous flux between 0 and 10V (1-100%) through an analog signal.
Compatible with TRIAC (forward-phase or leading-edge), kELV (reverse-phase or trailing edge) - only at 120Vac.

TECHNICAL CATALOGUE

TABLE LAMPS



Bety Eco ref. BEC001

LAMPSHADE
Pressed Cellulose

SUPPORT
Stainless steel

RECOMMENDED BULBS
120V - 60Hz

NET WEIGHT
3,3lb

One color to choose



CABLE
Transparent
Length 78,7in

E12 LED - Max. 1x7 W

25,6x12,6x9,1 in


6,6lb



Certifications:



*pictured color: 46



LED

Clara ref. CLO2

LAMPSHADE
Painted stainless steel

SUPPORT
Stainless steel

LIGHT SOURCE BUILT-IN
120-277V - 60Hz

NET WEIGHT
10,4lb

One color: white



BL

CABLE
Transparent
Length 78,7in

24W 2700K 2449lm built-in

upon request 3000K 2527lm

17,3x17,3x34,6 in

22lb



Certifications:


in progress



Curvas ref. CV01

LAMPSHADE
Glass

One color to choose



SUPPORT
Painted steel
and stainless steel

CABLE
Transparent or black
Length 147,2in

RECOMMENDED BULBS

120V - 60Hz

E12 LED - Max. 1x7 W

NET WEIGHT


4,2lb

17,7x9,4x10,2 in

5,7lb



Certifications:



LED Hipatia ref. HI01

LAMPSHADE
Painted stainless steel

One color: white



Portable

Includes remote control
(reach 39,4in)

SUPPORT
Painted steel
and stainless steel

Functions
ON / OFF / DIMMING
Autonomy 6h at 100%
In charge 8 / 10h

CABLE
Wireless
USB cable + charger included

LIGHT SOURCE BUILT-IN

120V - 60Hz



3000K 247lm built-in
Rechargeable battery
5V - 2A - 5000mAh

NET WEIGHT

1kg | 2,2lb

7,4x20x10,6 in

3,1lb

* pictured without charging base



Nevo ref. NE01

LAMPSHADE
Painted stainless steel

One color to choose



CUSTOM
COLOR

Steel gloss nickel-plated

SUPPORT
Painted steel
and stainless steel

CABLE
Transparent or black
Length 47,2in

RECOMMENDED BULBS

120V - 60Hz

E12 LED - Max. 2x7 W

NET WEIGHT

3,5lb

14,2x14,2x12,2 in

5,5lb



Certifications:





Nevo ref. NE02

LAMPSHADE

Painted stainless steel

SUPPORT

Stainless steel

RECOMMENDED BULBS

120V - 60Hz

E12 LED - Max. 2x7 W

NET WEIGHT

4,4lb

One color to choose




CUSTOM
COLOR

CABLE

Transparent or black
Length 78,7in

Steel gloss nickel-plated



23,6x23,6x13 in

8,8lb



Certifications:



Onn ref. ON02

LAMPSHADE

Painted stainless steel

SUPPORT

Stainless steel

RECOMMENDED BULBS

120V - 60Hz

E12 LED - Max. 2x7 W

NET WEIGHT

7,7lb

One color to choose




CUSTOM
COLOR

CABLE

Transparent or black
Length 78,7in

Steel gloss nickel-plated




23,6x23,6x13 in

9,9lb



Certifications:



LED Pili ref. PL01

LAMPSHADE

Painted stainless steel
thread

SUPPORT

Stainless steel

LIGHT SOURCE BUILT-IN

120V - 60Hz

2,1W 2700K 240lm built-in

NET WEIGHT

1,1lb


Color: white



Dimmable

CABLE

Transparent
Length 78,7in



23,6x23,6x8,3 in

5,7lb



Certifications:





Tati ref. TA02

LAMPSHADE


Painted stainless steel

SUPPORT

Stainless steel

RECOMMENDED BULBS

120V - 60Hz

 E12 LED - Max. 2x7 W

NET WEIGHT

3,5lb

One color to choose

CABLE

Transparent or black
Length 78,7in



CUSTOM
COLOR

Steel gloss nickel-plated



23,6x23,6x13 in

8,8lb



Certifications:



Ura ref. UR01

LAMPSHADE

Painted stainless steel

SUPPORT

Stainless steel

RECOMMENDED BULBS

120V - 60Hz

 E26 LED - Max. 1x12 W

NET WEIGHT

2,2lb

One color to choose

CABLE

Transparent or black
Length 47,2in



CUSTOM
COLOR



25,5x12,6x9,1 in

3,9lb



Certifications:



FLOOR LAMPS



Ø 56,3in

86,6in


Africa ref. AF03

LAMPSHADE

Painted stainless steel

RECOMMENDED BULBS

120V - 60Hz

 E26 LED - Max. 3x12 W

NET WEIGHT

132,7lb

One color to choose



BL BE G T

CUSTOM
COLOR



60,6x60,2x95,7 in

600lb



Certifications:




SUPPORT

Stainless steel
and painted steel

CABLE

Transparent or black
Length 98,4in



Bety Eco ref. BEC003

LAMPSHADE
Pressed Cellulose

SUPPORT
Stainless steel

RECOMMENDED BULBS
120V - 60Hz

NET WEIGHT

E26 LED - Max. 1x12 W

12,1lb

One color to choose



CABLE
Transparent or black
Length 98,4in




70,9x4,3x4,3 in

18,5x18,5x24,8 in

17,6lb



Certifications:



LED Clara ref. CLO3

LAMPSHADE
Painted stainless steel

SUPPORT
Painted steel and stainless steel


LIGHT SOURCE BUILT-IN
120-277V - 60Hz

NET WEIGHT

35W 2700K 3367lm built-in
upon request 3000K 3474lm

22lb

One color: white



CABLE
Transparent
Length 98,4in



65x15,7x13,8 in

33,1lb



Certifications:



Curvas ref. CVO3G

LAMPSHADE

SUPPORT
Painted steel and stainless steel

RECOMMENDED BULBS

NET WEIGHT

One color to choose

ONLY DIMMABLE LED BULBS

25,6lb

120V - 60Hz


E26 LED - Max. 4x12 W



72,8x17,7x9,8 in



Dimmable



CABLE
Transparent or black
Length 98,4in

18,5x18,5x24,8 in

33,1lb



Certifications:





7,1x9,4in

Ø 20,5in



39,4in

61,4in

Ø15in



15,7in

64,2in

Gea ref. GEO3

LAMPSHADE

Painted stainless steel

SUPPORT

Painted steel and stainless steel

RECOMMENDED BULBS



ONLY DIMMABLE LED BULBS

NET WEIGHT

32lb

One color to choose

Dimmable

120V - 60Hz

E26 LED - Max. 5x12 W



74x17,2x10,23 in



BL

BE

G

T

CUSTOM COLOR

CABLE

Transparent or black
Length 137,8in



Certifications:



Ura ref. UR03

LAMPSHADE

Painted stainless steel

SUPPORT

Stainless steel

RECOMMENDED BULBS



ONLY DIMMABLE LED BULBS

NET WEIGHT

16,8lb

One color to choose

Dimmable

120V - 60Hz

E26 LED - Max. 3x12 W



43,7x16,9x17,3 in



BL

BE

G

T

CUSTOM COLOR

CABLE

Transparent or black
Length 137,8in



Certifications:



Virginia ref. VGO3A

LAMPSHADE

Painted stainless steel

SUPPORT

Painted steel and stainless steel

RECOMMENDED BULBS

120V - 60Hz

E26 LED - Max. 1x12 W

NET WEIGHT

23,1lb

One color to choose


CABLE

Transparent
Length 98,4in



61x4,3x4,3 in

20,7x20,7x20,9 in



BL

BE

G

T

CUSTOM COLOR

26,5lb



Certifications:



Virginia ref. VG03B



LAMPSHADE

Painted stainless steel

SUPPORT

Painted steel and stainless steel

RECOMMENDED BULBS

120V - 60Hz

 E26 LED - Max. 1x12 W

NET WEIGHT

22lb

One color to choose



BL

BE

G

T

CABLE

Transparent
Length 98,4in

CUSTOM
COLOR



61x4,3x4,3 in

17,3x17,3x15,7 in

25,3lb



Certifications:



V ref. VV03



LAMPSHADE

Polycarbonate

SUPPORT

Painted steel

RECOMMENDED BULBS


120V - 60Hz

 E26 LED - Max. 1x8 W

NET WEIGHT

26,5lb

One color to choose



B

N

TE

CABLE

Transparent or black
Length 157,54in

CUSTOM
COLOR



64,2x16,5x4,3 in

33x33x15 in


41,4lb



Certifications:



PENDANT LAMPS



Aimei ref. A104

LAMPSHADE
Ash wood

DIFFUSER
Glass sphere

CANOPY
Steel gloss nickel-plated

120V: Ø14,2cm | 5,6in

CABLE
Transparent
Standard: 78,7 in
Length customizable

LIGHT SOURCE BUILT-IN

100-277V - 60Hz

8W 2700K 960lm built-in
upon request 3000K 1067lm

Dimming system PHASE CONTROL 6 0-10V
[only 120Vac TRIAC Dimmers]

NET WEIGHT

21lb




37,4x37,4x34,6 in

86lb



Certifications:





Agasallo 1 ref. AG104

LAMPSHADE
Painted stainless steel

One color to choose



CUSTOM
COLOR

Stainless steel painted in
matt black

CANOPY
Steel painted in matt
black

120V: Ø 4,7in

CABLE
Black
Standard: 78,7 in
Lenght customizable

RECOMMENDED BULBS

120V - 60Hz

E26 LED - Max. 1x12 W

NET WEIGHT


1,5lb

18,1x9,4x9,8 in

2,6lb




Certifications:



Agasallo 2 ref. AG204

LAMPSHADE
Painted stainless steel

One color to choose



CUSTOM
COLOR

Stainless steel painted in
matt black

CANOPY
Steel painted in matt
black

120V: Ø 4,7in

CABLE
Black
Standard: 78,7 in
Lenght customizable

RECOMMENDED BULBS

120V - 60Hz

E26 LED - Max. 1x12 W

NET WEIGHT


2,2lb

17,3x17,3x15,7 in

5,7lb



Certifications:



Agasallo 3 ref. AG304

LAMPSHADE
Painted stainless steel

One color to choose



CUSTOM
COLOR

Stainless steel painted in
matt black

CANOPY
Steel painted in matt
black

120V: Ø 4,7in

CABLE
Black
Standard: 78,7 in
Lenght customizable

RECOMMENDED BULBS

120V - 60Hz

E26 LED - Max. 1x12 W

NET WEIGHT

2,9lb


18,5x18,5x24,8 in

7,5lb



Certifications:





Agasallo 4 ref. AG404

LAMPSHADE
Painted stainless steel

One color to choose



CUSTOM
COLOR

Stainless steel painted in
matt black

CANOPY
Steel painted in matt
black

Ø12cm | 4,7in

CABLE
Black

Standard: 78,7 in
Lenght customizable

RECOMMENDED BULBS

120V - 60Hz

E26 LED - Max. 1x12 W

NET WEIGHT

3,3lb

20x20x20,9 in

8,2lb



Certifications:



Ballet Plié ref. BAPI04

LAMPSHADE
Painted stainless steel

One color to choose



CUSTOM
COLOR

Stainless steel

CANOPY
Steel gloss nickel-
plated

120V: Ø4,7in

CABLE
Transparent or black

Standard: 78,7 in
Lenght customizable

RECOMMENDED BULBS

120V - 60Hz

E26 LED - Max. 1x12 W

NET WEIGHT

2,6lb

23,6x23,6x13 in

7,2lb



Certifications:



LED

Ballet Plié ref. BAPI04-LD

LED / DIMMABLE

LAMPSHADE
Painted stainless steel

One color to choose



CUSTOM
COLOR

Stainless steel

Inside diffuser

CANOPY
Steel gloss nickel-
plated

120V: Ø5,6in

CABLE
Transparent or black

Standard: 78,7 in
Lenght customizable

LIGHT SOURCE BUILT-IN

100-277V - 60Hz

17W 2700K 1645lm built-in
upon request 3000K 1776lm

Dimming system PHASE CONTROL & 0-10V
(only 120Vac TRIAC Dimmers)

NET WEIGHT

4,6lb

23,6x23,6x13 in

9,7lb



Certifications:



Ballet Relevé ref. BARE04



LAMPSHADE
Painted stainless steel

One color to choose



CUSTOM
COLOR

Stainless steel

CANOPY
Steel gloss nickel-plated

120V: Ø 4,7in

CABLE
Transparent or black
Standard: 78,7 in
Lenght customizable

RECOMMENDED BULBS

120V - 60Hz

E26 LED - Max. 1x12 W

NET WEIGHT

2,2lb



17,3x17,3x15,7 in

4,6lb



Certifications:



LED

Ballet Relevé ref. BARE04-LD LED / DIMMABLE



LAMPSHADE
Painted stainless steel

One color to choose



CUSTOM
COLOR

Stainless steel

Bottom diffuser

CANOPY
Steel gloss nickel-plated

120V: Ø 5,6in

CABLE
Transparent or black
Standard: 78,7 in
Lenght customizable

LIGHT SOURCE BUILT-IN

100-277V - 60Hz

17W 2700K 1645lm built-in
upon request 3000K 1776lm

Dimming system PHASE CONTROL & 0-10V
(only 120Vac TRIAC Dimmers)

NET WEIGHT

3,7lb



17,3x17,3x15,7 in

6,3lb



Certifications:



Ballet Elancé ref. BALA04



LAMPSHADE
Painted stainless steel

One color to choose



CUSTOM
COLOR

Stainless steel

CANOPY
Steel gloss nickel-plated

120V: Ø 4,7in

CABLE
Transparent or black
Standard: 78,7 in
Lenght customizable

RECOMMENDED BULBS

120V - 60Hz

E26 LED - Max. 1x12 W

NET WEIGHT

2,4lb



17,3x17,3x15,7 in

5,3lb



Certifications:





Ballet Elancé ref. BALA04-LD LED / DIMMABLE

LAMPSHADE
Painted stainless steel

CANOPY
Steel gloss nickel-plated

LIGHT SOURCE BUILT-IN

NET WEIGHT

One color to choose

120V: Ø5,6in

100-277V - 60Hz

4,2lb



● 17W 2700K 1645lm built-in
upon request 3000K 1776lm



Dimming system PHASE CONTROL & 0-10V
(only 120Vac TRIAC Dimmers)

17,3x17,3x15,7 in

CUSTOM
COLOR

CABLE
Transparent or black

7lb

Standard: 78,7 in
Lenght customizable



Stainless steel

Certifications:



Inside diffuser



Bety Eco ref. BEC004

LAMPSHADE
Pressed Cellulose

CANOPY
Steel gloss nickel-plated

RECOMMENDED BULBS

NET WEIGHT

One color to choose

120V: Ø4,7in

120V - 60Hz

4,6lb



● E26 LED - Max. 1x12 W



CABLE
Transparent or black

18,5x18,5x24,8 in



Standard: 78,7 in
Lenght customizable

6,6lb



*pictured color: 42

Certifications:



Bety Eco ref. BEC004-LD LED / DIMMABLE

LAMPSHADE
Pressed Cellulose

CANOPY
Steel gloss nickel-plated

LIGHT SOURCE BUILT-IN

NET WEIGHT

One color to choose

120V: Ø5,6in

100-277V - 60Hz

5,5lb




● 17W 2700K 1645lm built-in
upon request 3000K 1776lm



CABLE
Transparent or black

Dimming system PHASE CONTROL & 0-10V
(only 120Vac TRIAC Dimmers)

18,5x18,5x24,8 in



Standard: 78,7 in
Lenght customizable


8,8lb



*pictured color: 42

Certifications:





Blum ref. BLO4

LAMPSHADE
Painted stainless steel thread

CANOPY
Steel gloss nickel-plated
120V: Ø 4,7in

RECOMMENDED BULBS
120V - 60Hz
E26 LED - Max. 1x12 W

NET WEIGHT
2,9lb

One color : white



CABLE
Transparent or black
Standard: 78,7 in
Lenght customizable



17,3x17,3x15,7 in

5,1lb



Certifications:



LED Cambo ref. CM104

LAMPSHADE
Painted stainless steel

CANOPY
Steel painted in mat black

LIGHT SOURCE BUILT IN


NET WEIGHT

One color to choose

120V: Ø 4,7in

100-277V - 60Hz

2,1lb



7W 2700K 850lm built-in



Dimming system: PHASE CONTROL & 0-10V
(only 120Vac TRIAC Dimmers)

25,2x15,3x11 in

Beech wood

CABLE
Black

6,3lb


Painted aluminum

Standard: 78,7 in
Lenght customizable



Built-in diffuser

Certifications:



LED Cambo ref. CM104G

LAMPSHADE
Painted stainless steel

CANOPY
Steel painted in matt black

LIGHT SOURCE BUILT IN


NET WEIGHT

One color to choose

120V: Ø 4,7in

100-277V - 60Hz

3,1lb



7W 2700K 850lm built-in



Dimming system: PHASE CONTROL & 0-10V
(only 120Vac TRIAC Dimmers)

33,1x15,3x11 in

Beech wood

CABLE
Black

6,6lb

Painted aluminum

Standard: 78,7 in
Lenght customizable



Built-in diffuser

Certifications:






LED

Cambo^{ref.} CM204

LAMPSHADE
Painted stainless steel

One color to choose



Beech wood

Painted aluminum

Built-in diffuser

CANOPY
Steel painted in matt black

120V: Ø4,7in

CABLE
Black

Standard: 78,7 in
Lenght customizable

LIGHT SOURCE BUILT IN

100-277V - 60Hz

7W 2700K 850lm built-in

Dimming system: PHASE CONTROL & 0-10V
(only 120Vac TRIAC Dimmers)

NET WEIGHT

3,1lb



25,2x15,3x11 in

6,3lb



Certifications:




LED

Cambo^{ref.} CM204G

LAMPSHADE
Painted stainless steel

One color to choose



Beech wood

Painted aluminum

Built-in diffuser

CANOPY
Steel painted in matt black

120V: Ø4,7in

CABLE
Black

Standard: 78,7 in
Lenght customizable

LIGHT SOURCE BUILT IN

100-277V - 60Hz

7W 2700K 850lm built-in

Dimming system: PHASE CONTROL & 0-10V
(only 120Vac TRIAC Dimmers)

NET WEIGHT

3,5lb



33,1x15,3x11 in

6,2lb



Certifications:



Caos^{ref.} CA04A

LAMPSHADE
Cord

One color to choose



Stainless steel

CANOPY
Steel gloss nickel-plated

120V: Ø4,7in

CABLE

Transparent or black
Standard: 78,7 in
Lenght customizable

RECOMMENDED BULBS

120V - 60Hz

E26 LED - Max. 1x12 W

NET WEIGHT

2,4lb



17,3x17,3x15,7 in

3,3lb



Certifications:





Caos ref. CA04A-LD

LED / DIMMABLE

LAMPSHADE

Cord

One color to choose



Stainless steel

Bottom diffuser

CANOPY

Steel gloss nickel-plated

120V: Ø 5,6in

CABLE

Transparent or black

Standard: 78,7 in
Lenght customizable

LIGHT SOURCE BUILT-IN

100-277V - 60Hz

17W 2700K 1645lm built-in
upon request 3000K 1776lm

Dimming system PHASE CONTROL & 0-10V
(only 120Vac TRIAC Dimmers)

NET WEIGHT

4lb



17,3x17,3x15,7 in

4,6lb



Certifications:



Caos ref. CA04B

LAMPSHADE

Cord

One color to choose



Stainless steel

CANOPY

Steel gloss nickel-plated

120V: Ø 4,7in

CABLE

Transparent or black

Standard: 78,7 in
Lenght customizable

RECOMMENDED BULBS

120V - 60Hz

E26 LED - Max. 1x12 W

NET WEIGHT

2,4lb



14,2x14,2x12,2 in

3,3lb



Certifications:



Caos ref. CA04B-LD

LED / DIMMABLE

LAMPSHADE

Cord

One color to choose



Stainless steel

Bottom diffuser

CANOPY

Steel gloss nickel-plated

120V: Ø 5,6in

CABLE

Transparent or black

Standard: 78,7 in
Lenght customizable

LIGHT SOURCE BUILT-IN

100-277V - 60Hz

17W 2700K 1645lm built-in
upon request 3000K 1776lm

Dimming system PHASE CONTROL & 0-10V
(only 120Vac TRIAC Dimmers)

NET WEIGHT

3,7lb



14,2x14,2x12,2 in

4,6lb



Certifications:



Caos ref. CA04AG



LAMPSHADE

Cord

One color to choose



Stainless steel

CANOPY

Steel gloss nickel-plated

120V: Ø4,7in

CABLE

Transparent or black

Standard: 78,7 in

Lenght customizable

RECOMMENDED BULBS

120V - 60Hz

E26 LED - Max. 1x12 W

NET WEIGHT

3,7lb



20x20x20,9 in

8,6lb



Certifications:



Caos ref. CA04AG-LD

LED / DIMMABLE



LAMPSHADE

Cord

One color to choose



Stainless steel

CANOPY

Steel gloss nickel-plated

120V: Ø 5,6in

CABLE

Transparent or black

Standard: 78,7 in

Lenght customizable

LIGHT SOURCE BUILT-IN

100-277V - 60Hz

17W 2700K 1645lm built-in
upon request 3000K 1776lm

Dimming system PHASE CONTROL & 0-10V
(only 120Vac TRIAC Dimmers)

NET WEIGHT

5,1lb



20x20x20,9 in

8,8lb



Certifications:



Coral Cay ref. COCY04



LAMPSHADE

Painted stainless steel

One color to choose



CUSTOM
COLOR

Stainless steel

CANOPY

Steel gloss nickel-plated

120V: Ø4,7in

CABLE

Transparent or black

Standard: 78,7 in

Lenght customizable

RECOMMENDED BULBS

120V - 60Hz

E26 LED - Max. 1x12 W

NET WEIGHT

2,4lb



14,2x14,2x12,2 in

3,4lb



Certifications:



LED

Coral Cay ref. COCY04-LD

LED / DIMMABLE



LAMPSHADE
Painted stainless steel

One color to choose



CUSTOM COLOR

Stainless steel

Bottom diffuser

CANOPY
Steel gloss nickel-plated

120V: Ø 5,6in

CABLE
Transparent or black
Standard: 78,7 in
Lenght customizable

LIGHT SOURCE BUILT-IN

100-277V - 60Hz

● 17W 2700K 1645lm built-in
upon request 3000K 1776lm

Dimming system PHASE CONTROL & 0-10V
(only 120Vac TRIAC Dimmers)

NET WEIGHT

2,9lb



14,2x14,2x12,2 in

4,1lb



Certifications:

**Coral Galaxea** ref. COGA04

LAMPSHADE
Painted stainless steel

One color to choose



CUSTOM COLOR

Stainless steel

CANOPY
Steel gloss nickel-plated

120V: Ø 4,7in

CABLE
Transparent or black
Standard: 78,7 in
Lenght customizable

RECOMMENDED BULBS

120V - 60Hz

● E26 LED - Max. 1x12 W

NET WEIGHT

2,6lb



14,2x14,2x12,2 in

3,7lb



Certifications:



LED

Coral Galaxea ref. COGA04-LD

LED / DIMMABLE



LAMPSHADE
Painted stainless steel

One color to choose



CUSTOM COLOR

Stainless steel

Bottom diffuser

CANOPY
Steel gloss nickel-plated

120V: Ø 5,6in

CABLE
Transparent or black
Standard: 78,7 in
Lenght customizable

LIGHT SOURCE BUILT-IN

100-277V - 60Hz

● 17W 2700K 1645lm built-in
upon request 3000K 1776lm

Dimming system PHASE CONTROL & 0-10V
(only 120Vac TRIAC Dimmers)

NET WEIGHT

4,2lb



14,2x14,2x12,2 in

5,9lb



Certifications:





Coral Reef ref. CORE04

LAMPSHADE

Painted stainless steel

One color to choose



CUSTOM
COLOR

Stainless steel

CANOPY

Steel gloss nickel-plated

120V: Ø4,7in

CABLE

Transparent or black

Standard: 78,7 in
Length customizable

RECOMMENDED BULBS

120V - 60Hz

E26 LED - Max. 1x12 W

NET WEIGHT

3,5lb



25,5x12,6x9,1 in

4,8lb



Certifications:



Coral Reef ref. CORE04-LD LED / DIMMABLE

LAMPSHADE

Painted stainless steel

One color to choose



CUSTOM
COLOR

Stainless steel

CANOPY

Steel gloss nickel-plated

120V: Ø5,6in

CABLE

Transparent or black

Standard: 78,7 in
Length customizable

LIGHT SOURCE BUILT-IN

100-277V - 60Hz

17W 2700K 1645lm built-in
upon request 3000K 1776lm

Dimming system PHASE CONTROL & 0-10V
(only 120Vac TRIAC Dimmers)

NET WEIGHT

5,3lb



26x12,6x9,1 in

6,4lb



Certifications:



Coral Sea ref. COSE04

LAMPSHADE

Painted stainless steel

One color to choose



CUSTOM
COLOR

Stainless steel

CANOPY

Steel gloss nickel-plated

120V: Ø4,7in

CABLE

Transparent or black

Standard: 78,7 in
Length customizable

RECOMMENDED BULBS

120V - 60Hz

E26 LED - Max. 1x12 W

NET WEIGHT

3,1lb



14,2x14,2x12,2 in

4,4lb



Certifications:



LED

Coral Sea ref. COSE04-LD

LED / DIMMABLE



LAMPSHADE
Painted stainless steel

One color to choose



CUSTOM COLOR

Stainless steel

Bottom diffuser

CANOPY
Steel gloss nickel-plated

120V: Ø 5,6in

CABLE
Transparent or black
Standard: 78,7 in
Lenght customizable

LIGHT SOURCE BUILT-IN

100-277V - 60Hz

● 17W 2700K 1645lm built-in
upon request 3000K 1776lm

Dimming system PHASE CONTROL & 0-10V
[only 120Vac TRIAC Dimmers]

NET WEIGHT

4,2lb



17,3x17,3x15,7 in

5,5lb



Certifications:

**Coral Seaurchin** ref. COAU04

LAMPSHADE
Painted stainless steel

One color to choose



CUSTOM COLOR

Stainless steel

CANOPY
Steel gloss nickel-plated

120V: Ø 4,7in

CABLE
Transparent or black
Standard: 78,7 in
Lenght customizable

RECOMMENDED BULBS

120V - 60Hz

● E26 LED - Max. 1x12 W

NET WEIGHT

3,7lb



17,3x17,3x15,7 in

6,4lb



Certifications:



LED

Coral Seaurchin ref. COAU04-LD LED / DIMMABLE

LAMPSHADE
Painted stainless steel

One color to choose



CUSTOM COLOR

Stainless steel

Bottom diffuser

CANOPY
Steel gloss nickel-plated

120V: Ø 5,6in

CABLE
Transparent or black
Standard: 78,7 in
Lenght customizable

LIGHT SOURCE BUILT-IN

100-277V - 60Hz

● 17W 2700K 1645lm built-in
upon request 3000K 1776lm

Dimming system PHASE CONTROL & 0-10V
[only 120Vac TRIAC Dimmers]

NET WEIGHT

5,3lb



17,3x17,3x15,7 in

6,9lb



Certifications:



Coral Seaurchin ref. COAU04G



LAMPSHADE
Painted stainless steel

One color to choose



CUSTOM
COLOR

Stainless steel

CANOPY
Steel gloss nickel-plated

120V: Ø 4,7in

RECOMMENDED BULBS

120V - 60Hz

E26 LED - Max. 4x12 W

NET WEIGHT

9,9lb



28x28x17 in

15,9lb



Certifications:



LED

Coral Seaurchin ref. COAU04G-LD LED / DIMMABLE



LAMPSHADE
Painted stainless steel

One color to choose



CUSTOM
COLOR

Stainless steel

Bottom diffuser

CANOPY
Steel gloss nickel-plated

120V: Ø5,6in

LIGHT SOURCE BUILT-IN

100-277V - 60Hz

35W 2700K 3938lm built-in
upon request 3000K 4086lm

Dimming system 0-10V

NET WEIGHT

9,9lb



28x28x17 in

17,6lb



Certifications:





Curvas ref. CV04-1



LAMPSHADE
Glass

One color to choose



CANOPY
Steel gloss nickel-plated

120V: Ø4,7in

RECOMMENDED BULBS

120V - 60Hz

E12 LED - Max. 1x7 W

NET WEIGHT

1,5lb



8,3x8,3x8,7 in


3,7lb



Certifications:




Curvas ref. CV04



LAMPSHADE

Glass

One color to choose



Bottom diffuser

CANOPY

Steel glass nickel-plated

120V: Ø 4,7in

CABLE

Transparent or black

Standard: 78,7 in
Lenght customizable

RECOMMENDED BULBS

120V - 60Hz

E26 LED - Max. 1x8 W

NET WEIGHT

4,6lb



17,3x17,3x15,7 in


9,7lb



Certifications:




Curvas ref. CV04G



LAMPSHADE

Glass

One color to choose



Top and bottom diffuser

CANOPY

Steel glass nickel-plated

120V: Ø 4,7in

CABLE

Transparent or black

Standard: 78,7 in
Lenght customizable

RECOMMENDED BULBS

120V - 60Hz

E26 LED - Max. 4x12 W

NET WEIGHT

12,3lb



23,6x31,5x17,7 in

27,3lb



Certifications:




Fluo ref. FL04



LAMPSHADE

Galvanized painted steel

One color: white



CANOPY

Steel glass nickel-plated

120V: Ø 4,7in

CABLE

Transparent or black

Standard: 78,7 in
Lenght customizable

RECOMMENDED BULBS

120V - 60Hz

E26 LED - Max. 1x12 W

NET WEIGHT

7,3lb



29,9x31,9x30,7 in

21,6lb



Certifications:





Gea ref. GEO4

LAMPSHADE

Painted stainless steel

One color to choose



CUSTOM
COLOR

CANOPY

Steel gloss nickel-plated

120V: Ø 4,7in

CABLE

Transparent or black
Standard: 78,7 in
Length customizable

RECOMMENDED BULBS

120V - 60Hz

E26 LED - Max. 1x12 W

NET WEIGHT

2,4lb



25,9x12,6x9,1 in

4,4lb



Certifications:



Gea ref. GEO4-LD

LAMPSHADE

Painted stainless steel

One color to choose



CUSTOM
COLOR

Bottom diffuser

CANOPY

Steel gloss nickel-plated

120V: Ø5,6in

CABLE

Transparent or black
Standard: 78,7 in
Length customizable

LED / DIMMABLE

LIGHT SOURCE BUILT-IN

100-277V - 60Hz

17W 2700K 1645lm built-in
upon request 3000K 1776lm

Dimming system PHASE CONTROL & 0-10V
(only 120Vac TRIAC Dimmers)

NET WEIGHT

4,2lb



25,9x12,6x9,1 in

5,8lb



Certifications:




Inn ref. IN04

LAMPSHADE

Painted stainless steel

One color to choose



CUSTOM
COLOR

Steel painted in black

CANOPY

Steel painted in matt black

120V: Ø4,7in

CABLE

Black
Standard: 78,7 in
Length customizable

RECOMMENDED BULBS

120V - 60Hz

E26 LED - Max. 1x12 W

NET WEIGHT

2,6lb



17,3x17,3x15,7 in

6,2lb



Certifications:





LED

Kite ref. KT04-LD

LED / DIMMABLE

LAMPSHADE
Painted stainless steel

CANOPY
Stainless steel

LIGHT SOURCE BUILT-IN

NET WEIGHT

One color to choose

120V: 5,1x4,3in

100-277V - 60Hz

13,2lb



17W 2700K 2449lm built-in
upon request 3000K 2527lm



CUSTOM COLOR

Dimming system PHASE CONTROL & 0-10V
(only 120Vac TRIAC Dimmers)

28x28x6,3 in

CABLE
Transparent


19,8lb

Standard: 78,7 in
Lenght customizable



Painted steel

Certifications:



Lea ref. LA04

LAMPSHADE
Painted stainless steel

CANOPY
Steel gloss nickel-plated

RECOMMENDED BULBS


NET WEIGHT

One color to choose

120V: Ø 4,7in

120V - 60Hz

2,2lb



E26 LED - Max. 1x12 W



Stainless steel

CABLE
Transparent or black
Standard: 78,7 in
Lenght customizable

14,2x14,2x12,2 in

4,2lb



Certifications:



LED

Lea ref. LA04-LD

LAMPSHADE
Painted stainless steel

CANOPY
Steel gloss nickel-plated

LIGHT SOURCE BUILT-IN


NET WEIGHT

One color to choose

120V: Ø 5,6in

100-277V - 60Hz

3,3lb



17W 2700K 1645lm built-in
upon request 3000K 1776lm



Stainless steel

CABLE
Transparent or black
Standard: 78,7 in
Lenght customizable

Dimming system PHASE CONTROL & 0-10V
(only 120Vac TRIAC Dimmers)

14,2x14,2x12,2 in

5,3lb



Certifications:



Luisa ref. LSO4



LAMPSHADE
Painted stainless steel

One color to choose



CUSTOM
COLOR

Stainless steel

CANOPIY
Steel gloss nickel-plated

120V: 04,7in

CABLE
Transparent
Standard: 78,7 in
Lenght customizable

RECOMMENDED BULBS

120V - 60Hz

E26 LED - Max. 1x12 W

NET WEIGHT

3,5lb



17,3x17,3x15,7 in

6,6lb



Certifications:



LED Luisa ref. LSO4-LD



LAMPSHADE
Painted stainless steel

One color to choose



CUSTOM
COLOR

Stainless steel

Bottom diffuser

CANOPIY
Steel gloss nickel-plated

120V: 05,6in

CABLE
Transparent
Standard: 78,7 in
Lenght customizable

LED / DIMMABLE

LIGHT SOURCE BUILT-IN

100-277V - 60Hz

17W 2700K 1645lm built-in
upon request 3000K 1776lm

Dimming system PHASE CONTROL 0-10V
(only 120Vac TRIAC Dimmers)

NET WEIGHT

5,3lb



17,3x17,3x15,7 in

7,1lb



Certifications:



Luisa ref. LSO4G



LAMPSHADE
Painted stainless steel

One color to choose



CUSTOM
COLOR

Stainless steel

CANOPIY
Steel gloss nickel-plated

120V: 04,7in

CABLE
Transparent
Standard: 78,7 in
Lenght customizable

RECOMMENDED BULBS

120V - 60Hz

E26 LED - Max. 1x12 W

NET WEIGHT

6lb



20x20x20,9 in

9lb



Certifications:





LED Luisa ref. LSO4G-LD

LAMPSHADE
Painted stainless steel

One color to choose



CUSTOM COLOR

Stainless steel

Bottom diffuser

CANOPY
Steel gloss nickel-plated

120V: Ø 5,6in

CABLE
Transparent
Standard: 78,7 in
Lenght customizable

LED / DIMMABLE

LIGHT SOURCE BUILT-IN

100-277V - 60Hz

17W 2700K 1645lm built-in
upon request 3000K 1776lm

Dimming system PHASE CONTROL & 0-10V
(only 120Vac TRIAC Dimmers)

NET WEIGHT

7,3lb



20x20x20,9 in

10,1lb



Certifications:



LED Mytilus ref. MY04

LAMPSHADE
Painted stainless steel

One color: white



BL

DIFFUSER
Glass sphere

CANOPY
Steel painted in white

120V: Ø 5,6in

CABLE
Transparent
Standard: 78,7 in
Lenght customizable

LED / DIMMABLE

LIGHT SOURCE BUILT-IN

100-277V - 60Hz

8W 2700K 960lm built-in
upon request 3000K 1067lm

Dimming system PHASE CONTROL & 0-10V
(only 120Vac TRIAC Dimmers)

NET WEIGHT

6,6lb



23,6x23,6x8,7 in

12,1lb



Certifications:



LED Mytilus ref. MY04G

LAMPSHADE
Painted stainless steel

One color: white



BL

DIFFUSER
Glass sphere

CANOPY
Steel painted in white

120V: Ø 5,6in

CABLE
Transparent
Standard: 78,7 in
Lenght customizable

LED / DIMMABLE

LIGHT SOURCE BUILT-IN

100-277V - 60Hz

8W 2700K 960lm built-in
upon request 3000K 1067lm

Dimming system PHASE CONTROL & 0-10V
(only 120Vac TRIAC Dimmers)

NET WEIGHT

16,5lb



32,3x38,2x11,8 in

16,7lb



Certifications:



Nevo ref. NE04-1



LAMPSHADE
Painted stainless steel

One color to choose



CUSTOM
COLOR

Steel gloss nickel-plated
and Stainless steel

CANOPY
Steel gloss nickel-plated

120V: Ø4,7in

CABLE
Transparent
Standard: 78,7 in
Lenght customizable

RECOMMENDED BULBS

120V - 60Hz

E12 LED - Max. 2x7 W

NET WEIGHT

1,2kg | 2,6lb



36x36x31 cm
14,2x14,2x12,2 in
2,3kg | 5lb



Certifications:



LED

Nevo ref. NE04-1-LD



LAMPSHADE
Painted stainless steel

One color to choose



CUSTOM
COLOR

Stainless steel

Inside diffuser

CANOPY
Steel gloss nickel-plated

120V: Ø4,7in

CABLE
Transparent
Standard: 78,7 in
Lenght customizable

LED / DIMMABLE

LIGHT SOURCE BUILT-IN

100-277V - 60Hz

17W 2700K 1645lm built-in
upon request 3000K 1776lm

Dimming system PHASE CONTROL & 0-10V
(only 120Vac TRIAC Dimmers)

NET WEIGHT

4,2lb



14,2x14,2x12,2 in


5,1lb



Certifications:



Nevo ref. NE04



LAMPSHADE
Painted stainless steel

One color to choose



CUSTOM
COLOR

Steel gloss nickel-plated
and Stainless steel

CANOPY
Steel gloss nickel-plated
and Stainless steel

120V: Ø 5,9(4,7)in

CABLE
Transparent
Standard: 78,7 in
Lenght customizable

RECOMMENDED BULBS

120V - 60Hz

E26 LED - Max. 3x8 W

NET WEIGHT

6,8lb




23,6x23,6x13 in

11lb



Certifications:





Nevo ref. NE04G

LAMPSHADE

Painted stainless steel

One color to choose



CUSTOM
COLOR

Steel gloss nickel-plated
and Stainless steel

CANOPY

Steel gloss nickel-plated
and Stainless steel

120V: Ø 5,9(4,7)in

CABLE

Transparent Standard:
78,7 in
Lenght customizable

RECOMMENDED BULBS

120V - 60Hz

E26 LED - Max. 4x12 W

NET WEIGHT

12,3lb



33x33x15 in

20,7lb



Certifications:



Onn ref. ON04-Mini



LAMPSHADE

Painted stainless steel

One color to choose



CUSTOM
COLOR

Stainless steel

CANOPY

Steel gloss nickel-plated

120V: Ø 4,7in

CABLE

Transparent or black

Standard: 78,7 in
Lenght customizable

RECOMMENDED BULBS

120V - 60Hz

E12 LED - Max. 1x4 W

NET WEIGHT

0,9lb



8,3x8,3x8,7 in

2,2lb



Certifications:



*Minimum order 2 pieces



Onn ref. ON04-Mini-LD



LAMPSHADE

Painted stainless steel

One color to choose



CUSTOM
COLOR

Stainless steel

Bottom diffuser

CANOPY

Steel gloss nickel-plated

120V: Ø 4,7in

CABLE

Transparent or black

Standard: 78,7 in
Lenght customizable

LIGHT SOURCE BUILT-IN

100-277V - 60Hz

8W 2700K 960lm built-in

upon request 3000K 1067lm

Dimming system PHASE CONTROL 0-10V
[only 120Vac TRIAC Dimmers]

NET WEIGHT

2,2lb



8,3x8,3x8,7 in

3,6lb



Certifications:



*Minimum order 2 pieces



Onn ref. ON04-1

LAMPSHADE
Painted stainless steel

One color to choose



CUSTOM
COLOR

Stainless steel

CANOPIY
Steel gloss nickel-plated

120V: Ø4,7in

CABLE
Transparent
Standard: 78,7 in
Lenght customizable

RECOMMENDED BULBS

120V - 60Hz

E26 LED - Max. 1x12 W

NET WEIGHT

1,8lb



14,2x14,2x12,2 in

2,7lb



Certifications:



LED

Onn ref. ON04-1-LD

LAMPSHADE
Painted stainless steel

One color to choose



CUSTOM
COLOR

Stainless steel

Bottom diffuser

CANOPIY
Steel gloss nickel-plated

120V: Ø4,7in

CABLE
Transparent
Standard: 78,7 in
Lenght customizable

LED / DIMMABLE

LIGHT SOURCE BUILT-IN

100-277V - 60Hz

8W 2700K 960lm built-in
upon request 3000K 1067lm

Dimming system PHASE CONTROL 0-10V
[only 120Vac TRIAC Dimmers]

NET WEIGHT

2,2lb



14,2x14,2x12,2 in

3,6lb



Certifications:



Onn ref. ON04

LAMPSHADE
Painted stainless steel

One color to choose



CUSTOM
COLOR

Stainless steel

CANOPIY
Steel gloss nickel-plated

120V: Ø4,7in

CABLE
Transparent
Standard: 78,7 in
Lenght customizable

RECOMMENDED BULBS

120V - 60Hz

E26 LED - Max. 1x12 W

NET WEIGHT

3,1lb



17,3x17,3x15,7 in

6,6lb



Certifications:





Onn ref. ON04-LD

LED / DIMMABLE

LAMPSHADE

Painted stainless steel

CANOPY

Steel gloss nickel-plated

LIGHT SOURCE BUILT-IN

100-277V - 60Hz

● 17W 2700K 1645lm built-in
upon request 3000K 1776lm

Dimming system PHASE CONTROL 0-10V
(only 120Vac TRIAC Dimmers)

NET WEIGHT

4,4lb

One color to choose

120V: Ø 5,6in



CUSTOM
COLOR

CABLE

Transparent or black

Standard: 78,7 in
Lenght customizable



17,3x17,3x15,7 in

8,4lb



Certifications:



Stainless steel

Bottom diffuser

18,5in



Onn ref. ON04G

RECOMMENDED BULBS

120V - 60Hz

⚡ E26 LED - Max. 3x12 W

NET WEIGHT

5,1lb

LAMPSHADE

Painted stainless steel

CANOPY

Steel gloss nickel-plated

120V: Ø 4,7in

One color to choose



CUSTOM
COLOR

CABLE

Transparent or black

Standard: 78,7 in
Lenght customizable



20x20x20,9 in

10,6lb



Certifications:



Stainless steel

Ø18,1in



Onn ref. ON04G-LD

LED / DIMMABLE

LAMPSHADE

Painted stainless steel

CANOPY

Steel gloss nickel-plated

LIGHT SOURCE BUILT-IN

100-277V - 60Hz

● 17W 2700K 1645lm built-in
upon request 3000K 1776lm

Dimming system PHASE CONTROL 0-10V
(only 120Vac TRIAC Dimmers)

NET WEIGHT

7,5lb

One color to choose

120V: Ø 5,6in



CUSTOM
COLOR

CABLE

Transparent or black

Standard: 78,7 in
Lenght customizable



20x20x20,9 in

12,3lb



Certifications:



Stainless steel


Bottom diffuser

18,5in



Ø18,1in

Pili_{ref.} PL04-Mini



LAMPSHADE
Painted stainless steel thread

CANOPY
Steel gloss nickel-plated
120V: Ø4,7in

RECOMMENDED BULBS

120V - 60Hz

E26 LED - Max. 1x12 W

NET WEIGHT


1,8lb

14,2x14,2x11,8 in


3,3lb



Certifications:



Pili_{ref.} PL04



LAMPSHADE
Painted stainless steel thread

CANOPY
Steel gloss nickel-plated
120V: Ø4,7in

RECOMMENDED BULBS

120V - 60Hz

E26 LED - Max. 1x12 W

NET WEIGHT

1,8lb

17,3x17,3x15,7 in


5,5lb



Certifications:




One color: white



CABLE
Transparent
Standard: 78,7 in
Lenght customizable

Pili_{ref.} PL04G



LAMPSHADE
Painted stainless steel thread

CANOPY
Steel gloss nickel-plated
120V: Ø4,7in

RECOMMENDED BULBS

120V - 60Hz

E26 LED - Max. 1x12 W

NET WEIGHT

2,9lb

20x20x20,9 in

7,5lb



Certifications:



CABLE
Transparent
Standard: 78,7 in
Lenght customizable



LED

Shio ref. SH04-1-LD

LED / DIMMABLE

LAMPSHADE
Plywood

Painted steel

One color to choose



Top and bottom diffuser

CANOPY

Steel gloss nickel-plated

120V: Ø 5,6in

CABLE

Transparent or black

Standard: 78,7 in
Lenght customizable

LIGHT SOURCE BUILT-IN

100-277V - 60Hz

11W 2700K 1017lm built-in
upon request 3000K 1085lm

Dimming system PHASE CONTROL & 0-10V
(only 120Vac TRIAC Dimmers)

NET WEIGHT

7,3lb



17,3x17,3x7,4 in

10,5lb



Certifications:



LED

Shio ref. SH04-LD

LED / DIMMABLE

LAMPSHADE
Plywood

Painted steel

One color to choose



Top and bottom diffuser

CANOPY

Steel gloss nickel-plated

120V: Ø 5,6in

CABLE

Transparent or black

Standard: 78,7 in
Lenght customizable

LIGHT SOURCE BUILT-IN

100-277V - 60Hz

15W 2700K 1880lm built-in
upon request 3000K 2005lm

Dimming system PHASE CONTROL & 0-10V
(only 120Vac TRIAC Dimmers)

NET WEIGHT

13,2lb




23,6x23,6x8,7 in

18,5lb



Certifications:



Tati ref. TA04-1

LAMPSHADE

Painted stainless steel

One color to choose



CUSTOM
COLOR

Steel gloss nickel-plated
and Stainless steel

CANOPY

Steel gloss nickel-plated
and Stainless steel

120V: Ø 5,9(4,7)in

CABLE

Transparent or black

Standard: 78,7 in
Lenght customizable

RECOMMENDED BULBS

120V - 60Hz

E26 LED - Max. 1x8 W

NET WEIGHT

4,4lb



22x18x14,6 in

6,6lb




Certifications:



LED

Tati ref. TA04-1-LD

LED / DIMMABLE



LAMPSHADE

Painted stainless steel

CANOPY

Steel gloss nickel-plated

LIGHT SOURCE BUILT-IN

100-277V - 60Hz

17W 2700K 1645lm built-in
upon request 3000K 1776lm

NET WEIGHT

4,8lb

One color to choose

120V: Ø5,6in



CUSTOM COLOR

CABLE

Transparent or black

Standard: 78,7 in
Lenght customizable

Dimming system PHASE CONTROL 0-10V
(only 120Vac TRIAC Dimmers)



22x18x14,6 in

7,1lb




Certifications:



Steel gloss nickel-plated and Stainless steel

Inside diffuser

Tati ref. TA04



LAMPSHADE

Painted stainless steel

CANOPY

Steel gloss nickel-plated and Stainless steel

LIGHT SOURCE BUILT-IN

120V - 60Hz

E26 LED - Max. 3x12 W

NET WEIGHT

6,8lb

One color to choose

120V: Ø5,9(4,7)in



CUSTOM COLOR

CABLE

Transparent or black

Standard: 78,7 in
Lenght customizable



23,6x23,6x13 in

8,8lb



Certifications:



Steel gloss nickel-plated and Stainless steel

Tati ref. TA04G



LAMPSHADE

Painted stainless steel

CANOPY

Steel gloss nickel-plated and Stainless steel

LIGHT SOURCE BUILT-IN

120V - 60Hz

E26 LED - Max. 4x12 W

NET WEIGHT

9,5lb

One color to choose

120V: Ø5,9(4,7)in



CUSTOM COLOR

CABLE

Transparent or black

Standard: 78,7 in
Lenght customizable



33,1x33,1x15 in

22,5lb



Certifications:



Steel gloss nickel-plated and Stainless steel

Tempo Andante ref. TEAN04



LAMPSHADE
Painted stainless steel

One color to choose



CUSTOM
COLOR

CANOPY
Steel gloss nickel-plated

120V: Ø4,7in

CABLE
Transparent or black
Standard: 78,7 in
Length customizable

RECOMMENDED BULBS

120V - 60Hz

E26 LED - Max. 1x12 W

NET WEIGHT

3,5lb



25,6x12,6x9,1 in

4lb



Certifications:



Tempo Andante ref. TEAN04-LD LED / DIMMABLE



LAMPSHADE
Painted stainless steel

One color to choose



CUSTOM
COLOR

CANOPY
Steel gloss nickel-plated

120V: Ø5,6in

CABLE
Transparent or black
Standard: 78,7 in
Length customizable

Bottom diffuser

LIGHT SOURCE BUILT-IN

100-277V - 60Hz

17W 2700K 1645lm built-in
upon request 3000K 1776lm

Dimming system PHASE CONTROL & 0-10V
[only 120Vac TRIAC Dimmers]

NET WEIGHT

4,6lb



25,6x12,6x9,1 in

5,5lb



Certifications:



Tempo Vivace ref. TEVI04



LAMPSHADE
Painted stainless steel

One color to choose



CUSTOM
COLOR

CANOPY
Steel gloss nickel-plated

120V: Ø4,7in

CABLE
Transparent or black
Standard: 78,7 in
Length customizable

RECOMMENDED BULBS

120V - 60Hz

E26 LED - Max. 1x12 W

NET WEIGHT

3,5lb



17,3x17,3x15,7 in

4,8lb



Certifications:





Tempo Vivace ref. TEVI04-LD LED / DIMMABLE

LAMPSHADE	CANOPY	LIGHT SOURCE BUILT-IN	NET WEIGHT
Painted stainless steel	Steel gloss nickel-plated	100-277V - 60Hz	4,6lb
One color to choose	120V: Ø5,6in	17W 2700K 1645lm <small>built-in</small> upon request 3000K 1776lm Dimming system PHASE CONTROL & 0-10V [only 120Vac TRIAC Dimmers]	 17,3x17,3x15,7 in 6,6lb
 Bottom diffuser	CABLE Transparent or black Standard: 78,7 in Length customizable	 Certifications: 	



Ura 1 ref. UR104

LAMPSHADE	CANOPY	LIGHT SOURCE BUILT-IN	NET WEIGHT
Painted stainless steel	Steel gloss nickel-plated	120V - 60Hz	4lb
One color to choose	120V: Ø4,7in	E26 LED - Max. 1x12 W	 23,6x23,6x13 in 9,2lb
 Stainless steel	CABLE Transparent or black Standard: 78,7 in Length customizable	 Certifications: 	



Ura 1 ref. UR104-LD LED / DIMMABLE

LAMPSHADE	CANOPY	LIGHT SOURCE BUILT-IN	NET WEIGHT
Painted stainless steel	Steel gloss nickel-plated	100-277V - 60Hz	5,1lb
One color to choose	120V: Ø 5,6in	17W 2700K 1645lm <small>built-in</small> upon request 3000K 1776lm Dimming system PHASE CONTROL & 0-10V [only 120Vac TRIAC Dimmers]	 23,6x23,6x13 in 10,4lb
 Stainless steel Bottom diffuser	CABLE Transparent or black Standard: 78,7 in Length customizable	 Certifications: 	

Ura 2 ref. UR204



LAMPSHADE
Painted stainless steel

One color to choose



CUSTOM
COLOR

Stainless steel

CANOPY
Steel gloss nickel-plated

120V: Ø 4,7in

CABLE
Transparent or black
Standard: 78,7 in
Lenght customizable

RECOMMENDED BULBS

120V - 60Hz

E26 LED - Max. 1x12 W

NET WEIGHT

2,4lb



18,1x9,4x10,2 in

3,5lb



Certifications:



LED Ura 2 ref. UR204-LD



LAMPSHADE
Painted stainless steel

One color to choose



CUSTOM
COLOR

Stainless steel

Bottom diffuser

CANOPY
Steel gloss nickel-plated

120V: Ø 5,6in

CABLE
Transparent or black
Standard: 78,7 in
Lenght customizable

LED / DIMMABLE

LIGHT SOURCE BUILT-IN

100-277V - 60Hz

17W 2700K 1645lm built-in
upon request 3000K 1776lm

Dimming system PHASE CONTROL & 0-10V
(only 120Vac TRIAC Dimmers)

NET WEIGHT

3,7lb



18,1x9,4x10,2 in

4,6lb



Certifications:



Ura 3 ref. UR304



LAMPSHADE
Painted stainless steel

One color to choose



CUSTOM
COLOR

Stainless steel

CANOPY
Steel gloss nickel-plated

120V: Ø4,7in

CABLE
Transparent or black
Standard: 78,7 in
Lenght customizable

RECOMMENDED BULBS

120V - 60Hz

E26 LED - Max. 1x12 W

NET WEIGHT

2,9lb



14,2x14,2x12,2 in

3,5lb



Certifications:





LED

Ura 3 ref. UR304-LD

LED / DIMMABLE

LAMPSHADE

Painted stainless steel

One color to choose



CUSTOM COLOR

Stainless steel

Bottom diffuser

CANOPY

Steel gloss nickel-plated

120V: Ø 5,6in

CABLE

Transparent or black

Standard: 78,7 in
Lenght customizable

LIGHT SOURCE BUILT-IN

100-277V - 60Hz

● 17W 2700K 1645lm built-in
upon request 3000K 1776lm

Dimming system PHASE CONTROL & 0-10V
(only 120Vac TRIAC Dimmers)

NET WEIGHT

4lb



14,2x14,2x12,2 in

4,4lb



Certifications:



Virginia ref. VG04A

RECOMMENDED BULBS

120V - 60Hz

➔ E26 LED - Max. 1x12 W

NET WEIGHT

7,7lb



20,7x20,7x20,9 in

9,3lb



Certifications:



LED

Virginia ref. VG04A-LD

LED / DIMMABLE

LAMPSHADE

Painted stainless steel

One color to choose



CUSTOM COLOR

Stainless steel

CANOPY

Steel gloss nickel-plated

120V: Ø5,6in

CABLE

Transparent or black

Standard: 78,7 in
Lenght customizable

LIGHT SOURCE BUILT-IN

100-277V - 60Hz

● 17W 2700K 1645lm built-in
upon request 3000K 1776lm

Dimming system PHASE CONTROL & 0-10V
(only 120Vac TRIAC Dimmers)

NET WEIGHT

8,4lb



20,7x20,7x20,9 in

9,9lb



Certifications:





Virginia ref. VG04B

LAMPSHADE

Painted stainless steel

One color to choose



CUSTOM
COLOR

Stainless steel

CANOPY

Steel gloss nickel-plated

120V: Ø4,7in

CABLE

Transparent or black

Standard: 78,7 in
Lenght customizable

RECOMMENDED BULBS

120V - 60Hz

E26 LED - Max. 1x12 W

NET WEIGHT

6,6lb



17,3x17,3x15,7 in

8,2lb



Certifications:




Virginia ref. VG04B-LD

LED / DIMMABLE

LAMPSHADE

Painted stainless steel

One color to choose



CUSTOM
COLOR

Stainless steel

CANOPY

Steel gloss nickel-plated

120V: Ø5,6in

CABLE

Transparent or black

Standard: 78,7 in
Lenght customizable

LIGHT SOURCE BUILT-IN

100-277V - 60Hz

17W 2700K 1645lm built-in
upon request 3000K 1776lm

Dimming system PHASE CONTROL & 0-10V
(only 120Vac TRIAC Dimmers)

NET WEIGHT

7,3lb




17,3x17,3x15,7 in

8,8lb



Certifications:




V ref. VV04

LAMPSHADE

Polycarbonate

One color to choose



CUSTOM
COLOR

Glass diffuser

CANOPY

Steel gloss nickel-plated
and Stainless steel

120V: Ø 5,9(4,7)in

CABLE

Transparent or black

Standard: 78,7 in
Lenght customizable

RECOMMENDED BULBS

120V - 60Hz

E26 LED - Max. 1x8 W

NET WEIGHT

12lb



33x33x15 in


21,2lb



Certifications:




V_{ref.} VV04G



LAMPSHADE
Polycarbonate

One color to choose



Glass diffuser

CANOPY
Steel gloss nickel-plated and Stainless steel

120V: Ø5,9(4,7)in

CABLE
Transparent or black
Standard: 78,7 in
Lenght customizable

RECOMMENDED BULBS

120V - 60Hz

E26 LED - Max. 4x8 W

NET WEIGHT

26,5lb



43,3x43,3x13 in
22lb

23,6x23,6x13 in
15,7lb

23,6x23,6x8,7in
12,2lb



Certifications:




Vento_{ref.} VN04-LD

LED / DIMMABLE




LAMPSHADE
Glass

One color to choose



Color combination



Bottom diffuser

CANOPY
Stainless steel

120V: 5,1x4,3in

CABLE
Transparent or black
Standard: 78,7 in
Lenght customizable

LIGHT SOURCE BUILT-IN

100-277V - 60Hz

20W 2700K 2637lm built-in
upon request 3000K 2721lm

Dimming system PHASE CONTROL 8 0-10V
(only 120Vac TRIAC Dimmers)

NET WEIGHT

12,3lb



12,2x43,7x10,2 in

21,6lb




Certifications:



Woods_{ref.} WD04



LAMPSHADE
Birch



Glass diffuser

CANOPY
Painted steel

120V: Ø23,6in

CABLE
Transparent

RECOMMENDED BULBS

120V - 60Hz

E26 LED - Max. 1x12 W

NET WEIGHT

31,5lb



23,6x23,6x13 in

37,7lb




Certifications:



*Height is not adjustable on site

COMPOSITIONS



Agasallo ref. AG04-4-P

LAMPSHADE
Painted stainless steel

One color to choose



CUSTOM
COLOR

Color combinations upon request

Stainless steel

ref. 1xAG104, 1xAG204,
1xAG304, 1xAG404

CANOPY
Steel painted in black
matt

120V: Ø 4,7in

4 x REF. PIEZA002
Finish black matt

CABLE
Black

Lenght customizable

RECOMMENDED BULBS

120V - 60Hz

E26 LED - Max. 4x12 W

NET WEIGHT

9,9lb

18,1x9,4x9,8 in

17,3x17,3x15,7 in


18,5x18,5x24,8 in

20x20x20,9 in

23,4lb



Certifications:



Ballet ref. BA04-3

LAMPSHADE
Painted stainless steel

One color to choose



CUSTOM
COLOR

Color combinations upon request

Stainless steel

ref. 1xBAPI04, 1xBARE04,
1xBALA04

CANOPY
DIBOND®

120V: Ø 23,6in

CABLE
Transparent or black

Lenght customizable

RECOMMENDED BULBS

120V - 60Hz

E26 LED - Max. 3x12 W

NET WEIGHT


12,6lb

23,6x31,5x46,5 in

30,2lb




Certifications:



Ballet ref. BA04-3-P

LAMPSHADE
Painted stainless steel

One color to choose



CUSTOM
COLOR

Color combinations upon request

Stainless steel

ref. 1xBAPI04, 1xBARE04,
1xBALA04

CANOPY
Steel gloss nickel-plated

120V: Ø 4,7in

3 x REF. PIEZA002
Finish nickel-plated

CABLE
Transparent or black

Lenght customizable

RECOMMENDED BULBS

120V - 60Hz

E26 LED - Max. 3x12 W

NET WEIGHT

7,7lb

23,6x23,6x13 in

17,3x17,3x15,7 in

17,3x17,3x15,7 in

17,2lb



Certifications:



Caos ref. CA04A-3




98,4in

29,5x31,5in

LAMPSHADE

Cord

One color to choose



Color combinations upon request

CANOPY

DIBOND®

120V: Ø 23,6in

CABLE

Transparent

Lenght customizable

Stainless steel

ref. 3xCA04A

RECOMMENDED BULBS

120V - 60Hz

E26 LED - Max. 3x12 W

NET WEIGHT

14,6lb



23,6x31,5x37,4 in

23,1lb



Certifications:



Caos ref. CA04AB-3






98,4in

29,5x31,5in

LAMPSHADE

Cord

One color to choose



Color combinations upon request

CANOPY

DIBOND®

120V: Ø 23,6in

CABLE

Transparent

Lenght customizable

Stainless steel

ref. 1xCA04A, 2xCA04B
*pictured colors: 48, 49, 51

RECOMMENDED BULBS

120V - 60Hz

E26 LED - Max. 3x12 W

NET WEIGHT

14,6lb



23,6x31,5x33,9 in

23,1lb



Certifications:



Caos ref. CA04A-4





98,4in

40,6x35,4in

LAMPSHADE

Cord

One color to choose



Color combinations upon request

CANOPY

DIBOND®

120V: Ø 39,4in

CABLE

Transparent

Lenght customizable

Stainless steel

ref. 3xCA04A, 1xCA04AG

RECOMMENDED BULBS

120V - 60Hz

E26 LED - Max. 4x12 W

NET WEIGHT

17,2lb



31,5x47,2x46 in

39,6lb



Certifications:





Caos ref. CA04A-6

LAMPSHADE

Cord

One color to choose



Color combinations upon request

Stainless steel

ref. 6xCA04A
*pictured colors: 42, 46, 52

CANOPY

DIBOND®

120V: Ø 39,4in

CABLE

Transparent

Length customizable

RECOMMENDED BULBS

120V - 60Hz

E26 LED - Max. 6x12 W

NET WEIGHT


30,9lb



31,5x47,2x53,1 in
44lb



Certifications:



Coral ref. C004-3

LAMPSHADE

Painted stainless steel

One color to choose



CUSTOM
COLOR

Color combinations upon request

Stainless steel

ref. 1xC0AU04, 1xC0SE04,
1xC0GA04

CANOPY

DIBOND®

120V: Ø 23,6in

CABLE

Transparent or black

Length customizable

RECOMMENDED BULBS

120V - 60Hz

E26 LED - Max. 3x12 W

NET WEIGHT

15,2lb



23,6x31,5x33,8 in
26,5lb



Certifications:



Coral ref. C004-3-P

LAMPSHADE

Painted stainless steel

One color to choose



CUSTOM
COLOR

Color combinations upon request

Stainless steel

ref. 1xC0AU04, 1xC0SE04,
1xC0GA04

CANOPY

Steel gloss nickel-plated

120V: Ø 4,7in

3 x REF. PIEZA002
Finish nickel-plated

CABLE

Transparent or black

Length customizable

RECOMMENDED BULBS

120V - 60Hz

E26 LED - Max. 3x12 W

NET WEIGHT

8,9lb



17,3x17,3x15,7 in



17,3x17,3x15,7 in



14,2x14,2x11,8 in

13,6lb



Certifications:





Coral ref. C004-5

LAMPSHADE
Painted stainless steel

One color to choose



CUSTOM
COLOR

Color combinations upon request

Stainless steel

ref. 1xCOAU04, 1xCOCY04,
1xCOSE04, 1xCOGA04,
1xCORE04

CANOPY
DIBOND®

120V: Ø 23,6in

CABLE
Transparent or black

Length customizable

RECOMMENDED BULBS

120V - 60Hz

E26 LED - Max. 5x12 W

NET WEIGHT

21,2lb



23,6x31,5x46,5 in
38,6lb



Certifications:



Coral ref. C004-5-P

LAMPSHADE
Painted stainless steel

One color to choose



CUSTOM
COLOR

Color combinations upon request

Stainless steel

ref. 1xCOAU04, 1xCOCY04,
1xCOSE04, 1xCOGA04,
1xCORE04

CANOPY
Steel gloss nickel-plated

120V: Ø 4,7in

5 x REF. PIEZA002
Finish nickel-plated

CABLE
Transparent or black

Length customizable

RECOMMENDED BULBS

120V - 60Hz

E26 LED - Max. 5x12 W

NET WEIGHT

16,3lb



17,3x17,3x15,7 in



17,3x17,3x15,7 in



14,2x14,2x11,8 in



14,2x14,2x11,8 in



26x12,6x9,1 in

22lb



Certifications:



Coral ref. C004-10

LAMPSHADE
Painted stainless steel

One color to choose



CUSTOM
COLOR

Color combinations upon request

Stainless steel

ref. 2xCOAU04, 1xCOCY04,
2xCOSE04, 2xCOGA04,
2xCORE04, 1xCOAU04G

CANOPY
DIBOND®

120V: Ø 47,2 in

CABLE
Transparent or black

Length customizable

RECOMMENDED BULBS

120V - 60Hz

E26 LED - Max. 10x12 W

NET WEIGHT

77,8lb




31,5x49,2x54,3 in
123,5lb



Certifications:






Curvas ref. CVO4C-3

LAMP SHADE
Glass

One color to choose



Bottom diffuser

ref. 3xCV04
*pictured color: 02

CANOPY
DIBOND®
120V: Ø 23,6in

CABLE
Transparent or black
Length customizable


RECOMMENDED BULBS
120V - 60Hz
E26 LED - Max. 3x12 W

NET WEIGHT
17,6lb

23,6x31,5x37,4 in
35lb




Certifications:
cULus



Curvas ref. CV04-7

LAMP SHADE
Glass

One color to choose



Bottom diffuser

ref. 7xCV04
*pictured color: 02

CANOPY
DIBOND®
120V: Ø 39,4in

CABLE
Transparent or black
Length customizable

RECOMMENDED BULBS
120V - 60Hz
E26 LED - Max. 7x12 W

NET WEIGHT
39,7lb

31,5x47,2x49,2 in
77lb




Certifications:
cULus



Fluo ref. FLO4-4

LAMP SHADE
Galvanized painted steel

One color: white



ref. 4xFLO4

CANOPY
Stainless steel
120V: Ø 5,51in
h 3,9in

CABLE
Transparent
Length customizable

RECOMMENDED BULBS
120V - 60Hz
E26 LED - Max. 4x12 W

NET WEIGHT
25lb


30,3x32,3x54,7 in
48,5lb

30,3x32,3x54,7 in
44,1lb



GOOD DESIGN
2009

Certifications:
cULus



Fluo ref. FL04-16

LAMPSHADE
Galvanized painted steel

CANOPY
Stainless steel

RECOMMENDED BULBS
120V - 60Hz


NET WEIGHT

120V: Ø 5,51in
h5,5in

E26 LED - Max. 16x12 W

125,6lb

One color: white



CABLE
Transparent

Lenght customizable*

30,3x32,3x78,7 in
 31,5x47,2x78,7 in
 30,3x32,3x30,3 in
297lb



ref. 16xFL04

*Height is not adjustable on site

Certifications:



Mytilus ref. MY04-3

LAMPSHADE
Painted stainless steel

CANOPY
Steel painted in white

LIGHT SOURCE BUILT-IN
100-277V - 60Hz


NET WEIGHT

120V: Ø 5,9(4,7)in

25W 3000K 3201lm built-in
upon request 2700K 2880lm

56,2lb

One color: white



CABLE
Transparent

DIFFUSER DIFUSOR
Glass sphere

Lenght customizable

Dimming system PHASE CONTROL 6 0-10V
[only 120Vac TRIAC Dimmers]

35,4x38,2x41,3 in

61,7lb



ref. 3xMY04G

*approximate measurements

Certifications:



Nevo ref. NE04-6

LAMPSHADE
Painted stainless steel

CANOPY
DIBOND®

RECOMMENDED BULBS
120V - 60Hz

NET WEIGHT

120V: Ø 23,6in

E12 LED - Max. 9x7 W

20,7lb

One color to choose



CABLE
Transparent

Lenght customizable

Color combinations upon request


23,6x31,5x41,2 in

40lb




Steel gloss nickel-plated
and Stainless steel

Certifications:



ref. 3xNE06P, 3xNE04-1



Nevo ref. NE04-11

LAMPSHADE
Painted stainless steel

One color to choose



CUSTOM
COLOR

Color combinations upon request

Steel gloss nickel-plated
and Stainless steel

ref. 4xNE06P, 7xNE04-1

CANOPY
DIBOND®
120V: Ø 47,2 in

CABLE
Transparent

Length customizable

RECOMMENDED BULBS

120V - 60Hz

E12 LED - Max. 18x7 W

NET WEIGHT

22lb



31,5x49,2x53,1 in

116,8lb



Certifications:



98,4in

55,1in

49,2x49,2in

Tati ref. TA04-3

LAMPSHADE
Painted stainless steel

One color to choose



CUSTOM
COLOR

Color combinations upon request

Steel gloss nickel-plated
and Stainless steel

ref. 3xTA06G

CANOPY
DIBOND®
120V: Ø 23,6in

CABLE
Transparent

Length customizable

RECOMMENDED BULBS

120V - 60Hz

E12 LED - Max. 6x7 W

NET WEIGHT

13,2lb



23,6x31,5x32,3 in

41,9lb



Certifications:



98,4in

11,8in

31,5x31,5in

Tati ref. TA04-5

LAMPSHADE
Painted stainless steel

One color to choose



CUSTOM
COLOR

Color combinations upon request

Steel gloss nickel-plated
and Stainless steel

ref. 3xTA06G, 2xTA06P

CANOPY
DIBOND®
120V: Ø 23,6in

CABLE
Transparent

Length customizable

RECOMMENDED BULBS

120V - 60Hz

E12 LED - Max. 8x7 W

NET WEIGHT

19,6lb



23,6x31,5x32,3 in

55,1lb



Certifications:



98,4in

23,6in

33,5x33,5in



27,6in

55,1x55,1in

98,4in

Tati ref. TA04-10

LAMPSHADE
Painted stainless steel

One color to choose



CUSTOM
COLOR

Color combinations upon request

Steel gloss nickel-plated
and Stainless steel

ref. 6xTA06G, 4xTA06P

CANOPY
DIBOND®
120V: Ø 47,2 in

CABLE
Transparent
Lenght customizable

RECOMMENDED BULBS
120V - 60Hz
E12 LED - Max. 16x7 W

NET WEIGHT
41,9lb
31,5x49,2x53,1 in
121,3lb



Certifications:



Ura ref. UR04-3

LAMPSHADE
Painted stainless steel

One color to choose



CUSTOM
COLOR

Color combinations upon request

Stainless steel

ref. 1xUR104, 1xUR204, 1xUR304

CANOPY
DIBOND®
120V: Ø 23,6in

CABLE
Transparent or black
Lenght customizable

RECOMMENDED BULBS
120V - 60Hz
E26 LED - Max. 3x12 W

NET WEIGHT
22,5lb
23,6x31,5x37,4 in
22,5lb



Certifications:



18,6in

27,8x29,3in

98,4in

WALL & CEILING LAMPS



Ballet ref. BA06

LAMPSHADE
Painted stainless steel

SUPPORT
Painted steel

RECOMMENDED BULBS

NET WEIGHT

One color to choose

MOUNTING OPTIONS

120V - 60Hz
E26 LED - Max. 1x8 W

1,3lb



Wall lamp

17,3x17,3x7,9 in
4,2lb

CUSTOM
COLOR



Certifications:



LED Ballet ref. BA06-LD

LAMPSHADE
Painted stainless steel

SUPPORT
Painted steel

LED / DIMMABLE

NET WEIGHT

One color to choose

MOUNTING OPTIONS

100-277V - 60Hz

2,3lb



Wall lamp

8W 2700K 960lm built-in
upon request 3000K 1067lm

Dimming system PHASE CONTROL and 0-10V
[only 120Vac TRIAC Dimmers]
17,3x17,3x7,9 in
5,1lb

CUSTOM
COLOR



Certifications:



*Depth 110V: 10cm|3,9in





Blum ref. BLO6

LAMPSHADE
Painted stainless steel thread

SUPPORT
Painted steel

RECOMMENDED BULBS

NET WEIGHT

120V - 60Hz


2,4lb

E26 LED - Max. 1x12 W

MOUNTING OPTIONS

One color: white

Wall lamp



17,3x17,3x15,7 in

3,3lb



Certifications:



11,8 in



Cors ref. CR06

LAMPSHADE
Painted stainless steel

SUPPORT
Stainless steel

RECOMMENDED BULBS

NET WEIGHT

120V - 60Hz

1,3lb

G9 LED - Max. 2x4 W

MOUNTING OPTIONS

One color to choose

Wall lamp



CUSTOM COLOR



20,1x7,5x10,6 in

2,2lb



Certifications:



11,8 in



Cors ref. CR06-LD

LAMPSHADE
Painted stainless steel

SUPPORT
Steel gloss nickel-plated and stainless steel

LIGHT SOURCE BUILT-IN

NET WEIGHT

100-277V - 60Hz

2,4lb

8W 2700K 960lm built-in

upon request 3000K 1067lm

Dimming system PHASE CONTROL and 0-10V [only 120Vac TRIAC Dimmers]

MOUNTING OPTIONS

One color to choose

Wall lamp



CUSTOM COLOR




20,1x7,5x10,6 in

3,3lb



Certifications:





Curvas ref. CVO6



LAMPSHADE
Glass

SUPPORT
Stainless steel

RECOMMENDED BULBS

NET WEIGHT

One color to choose



MOUNTING OPTIONS
Wall lamp

120V - 60Hz

E12 LED - Max. 2x7 W

3,7lb

25,6x12,6x9,1 in

6,5lb



Certifications:



Gea ref. GE06

LAMPSHADE
Painted stainless steel

SUPPORT
Stainless steel

RECOMMENDED BULBS

NET WEIGHT

One color to choose



CUSTOM COLOR

MOUNTING OPTIONS
Wall lamp

120V - 60Hz

G9 LED - Max. 2x4 W

1,3lb

14,2x10,2x7,5 in

2,2lb



Certifications:



LED

Gea ref. GE06-LD

LAMPSHADE
Painted stainless steel

SUPPORT
Steel gloss nickel-plated and stainless steel

LED / DIMMABLE

NET WEIGHT

One color to choose



CUSTOM COLOR

MOUNTING OPTIONS
Wall lamp

100-277V - 60Hz

8W 2700K 960lm built-in
upon request 3000K 1067lm

Dimming system PHASE CONTROL and 0-10V
(only 120Vac TRIAC Dimmers)

2,4lb


14,2x10,2x7,5 in

3,3lb



Certifications:





Kala ref. KL06

LAMPSHADE
Painted stainless steel

SUPPORT
Stainless steel

RECOMMENDED BULBS

NET WEIGHT

One color to choose

MOUNTING OPTIONS
Wall lamp

120V - 60Hz
E17 G9 LED - Max. 2x4 W

1,3lb



CUSTOM
COLOR



14,2x10,2x7,5 in


2,2lb



Certifications:



*Width 110V: 24cm|9,4in



LED

Kala ref. KL06-LD

LED / DIMMABLE

LAMPSHADE
Painted stainless steel

SUPPORT
Steel gloss nickel-plated
and stainless steel

LIGHT SOURCE BUILT-IN

NET WEIGHT

One color to choose

MOUNTING OPTIONS
Wall lamp

100-277V - 60Hz

2,4lb



CUSTOM
COLOR

8W 2700K 960lm built-in
upon request 3000K 1067lm

Dimming system PHASE CONTROL and 0-10V
[only 120Vac TRIAC Dimmers]



14,2x10,2x7,5 in

3,3lb



Certifications:



Inside diffuser



LED

Kite ref. KT06-LD

LED / DIMMABLE

LAMPSHADE
Painted stainless steel

SUPPORT
Stainless steel

LIGHT SOURCE BUILT-IN


NET WEIGHT

One color to choose

MOUNTING OPTIONS
Wall & ceiling lamp

100-277V - 60Hz

18,7lb



CUSTOM
COLOR

17W 2700K 3636lm built-in
upon request 3000K 3780lm

Dimming system PHASE CONTROL and 0-10V
[only 120Vac TRIAC Dimmers]



28x28x5,9 in

20,3lb



Certifications:





LED

Kite ref. KT06G-LD

LAMPSHADE
Painted stainless steel

SUPPORT
Stainless steel

LED / DIMMABLE

LIGHT SOURCE BUILT-IN

100 - 277V - 60Hz

□ □ □ □ 34W 2700K 7272lm built-in

upon request 3000K 7560lm

Dimming system PHASE CONTROL and 0-10V
(only 120Vac TRIAC Dimmers)

NET WEIGHT

16,5lb



40,1x40,1x5,1 in


24,2lb



Certifications:




One color to choose



CUSTOM
COLOR

MOUNTING OPTIONS

Wall & ceiling lamp



LED

Li ref. LI06

LAMPSHADE
Pressed Cellulose

SUPPORT
Stainless steel

LED / DIMMABLE

LIGHT SOURCE BUILT-IN

120V - 60Hz

□ □ □ □ 11,8W 2700K 1546lm built-in

upon request 3000K 1805lm

Dimming system PHASE CONTROL and 0-10V
(only 120Vac TRIAC Dimmers)

NET WEIGHT

2,6lb



12,6x25,6x9 in

4,4lb



Certifications:



One color to choose



MOUNTING OPTIONS

Wall lamp



LED

Li ref. LI06G-D

LAMPSHADE
Pressed Cellulose

SUPPORT
Stainless steel

LED / DIMMABLE

LIGHT SOURCE BUILT-IN

100 - 277V - 60Hz

□ □ □ □ 17W 2700K 2558lm built-in

upon request 3000K 2632lm

Dimming system PHASE CONTROL and 0-10V
(only 120Vac TRIAC Dimmers)

NET WEIGHT

6,4lb



43,3x12,2x9,8 in

10,4lb



Certifications:



One color to choose



MOUNTING OPTIONS

Wall lamp

LED

Mytilus ref. MY06

LED / DIMMABLE

LAMPSHADE


Painted stainless steel

SUPPORT

Steel gloss nickel-plated

LIGHT SOURCE BUILT-IN

100 - 277V - 60Hz

 8W 2700K 960lm built-in
upon request 3000K 1067lm
Dimming system PHASE CONTROL and 0-10V
(only 120Vac TRIAC Dimmers)**NET WEIGHT**

6,6lb

One color: white



BL

MOUNTING OPTIONS

Wall lamp

DIFFUSER DIFUSORGlass sphere
Esfera de

*approximate measurements




23,6x23,6x8,7 in

9,9lb



Certifications:

**Nevo** ref. NE06P**LAMPSHADE**

Painted stainless steel


SUPPORTSteel gloss nickel-plated
and stainless steel**RECOMMENDED BULBS**

120V - 60Hz

 G9 LED - Max. 1x4 W
NET WEIGHT

1,8lb

One color to choose



BL BE G T

MOUNTING OPTIONS

Wall lamp

Steel gloss nickel-plated
and stainless steel

14,2x14,2x12,2 in

4lb



Certifications:



LED

Nevo ref. NE06P-LD


LED / DIMMABLE

LAMPSHADE

Painted stainless steel

SUPPORTSteel gloss nickel-plated
and stainless steel**LIGHT SOURCE BUILT-IN**

100 - 277V - 60Hz

 8W 2700K 960lm built-in
upon request 3000K 1067lm
Dimming system PHASE CONTROL and 0-10V
(only 120Vac TRIAC Dimmers)**NET WEIGHT**

2,6lb

One color to choose



BL BE G T

MOUNTING OPTIONS

Wall lamp

Steel gloss nickel-plated
and stainless steel

Inside diffuser




14,2x14,2x12,2 in


4lb



Certifications:



Nevo ref. NE06



LAMPSHADE

Painted stainless steel

One color to choose



CUSTOM
COLOR

Steel gloss nickel-plated
and stainless steel

SUPPORT

Steel gloss nickel-plated
and stainless steel

MOUNTING OPTIONS

Wall lamp

RECOMMENDED BULBS

120V - 60Hz

E12 LED - Max. 2x7 W

NET WEIGHT

2,4lb



14,2x14,2x12,2 in


4,8lb



Certifications:



Nevo ref. NE06-LD



LAMPSHADE

Painted stainless steel

One color to choose



CUSTOM
COLOR

Steel gloss nickel-plated
and stainless steel

SUPPORT

Steel gloss nickel-plated
and stainless steel

MOUNTING OPTIONS

Wall lamp

LED / DIMMABLE

LIGHT SOURCE BUILT-IN

100 - 277V - 60Hz

8W 2700K 960lm built-in

upon request 3000K 1067lm

Dimming system PHASE CONTROL and 0-10V
(only 120Vac TRIAC Dimmers)

NET WEIGHT

3,1lb



14,2x14,2x12,2 in

4,8lb




Certifications:



Inside diffuser

Onn ref. ON06



LAMPSHADE

Painted stainless steel

One color: white



BL

SUPPORT

Painted steel

MOUNTING OPTIONS

Wall & ceiling lamp

RECOMMENDED BULBS

120V - 60Hz

E26 LED - Max. 1x8 W

NET WEIGHT

6,6lb




18,1x20,5x11,8 in

9,7lb



Certifications:





Onn ref. ON06-LD

LED / DIMMABLE

LAMPSHADE
Painted stainless steel

SUPPORT
Painted steel

LIGHT SOURCE BUILT-IN

NET WEIGHT

100 - 277V - 60Hz

7,7lb

15W 2700K 2860lm built-in
upon request 3000K 2945lm

Dimming system PHASE CONTROL and 0-10V
(only 120Vac TRIAC Dimmers)

18,1x20,5x11,8 in

9,7lb



Certifications:



One color: white

MOUNTING OPTIONS

Wall lamp



BL

Inside diffuser



Onn ref. ON06G

RECOMMENDED BULBS

NET WEIGHT

120V - 60Hz

15,4lb

E26 LED - Max. 3x8 W

28x28x12,6 in

17,6lb



Certifications:



LAMPSHADE
Painted stainless steel

SUPPORT
Painted steel

One color: white

MOUNTING OPTIONS

Wall lamp



BL



Planum ref. PM06R-LD

LED / DIMMABLE



LAMPSHADE
Painted stainless steel

SUPPORT
Stainless steel

LIGHT SOURCE BUILT-IN

NET WEIGHT

100 - 277V - 60Hz

14,6lb

34W 2700K 7272lm built-in
upon request 3000K 7560lm

Dimming system PHASE CONTROL and 0-10V
(only 120Vac TRIAC Dimmers)

40,1x40,1x5,1 in

22lb




Certifications:



One color to choose

MOUNTING OPTIONS

Wall & ceiling lamp



BL

G





Planum ref. PM06PR-LD

LED / DIMMABLE

LAMPSHADE

Painted stainless steel

SUPPORT

Stainless steel

LIGHT SOURCE BUILT-IN

100 - 277V - 60Hz

17W 2700K 3636lm built-in

upon request 3000K 3780lm

Dimming system PHASE CONTROL and 0-10V
(only 120Vac TRIAC Dimmers)

NET WEIGHT

6,2lb



40,1x20,8x5,1 in

11lb



Certifications:



One color to choose

MOUNTING OPTIONS

Wall & ceiling lamp




BL

G



Tati ref. TA06



LAMPSHADE

Painted stainless steel

SUPPORT

Stainless steel

RECOMMENDED BULBS

120V - 60Hz

G9 LED - Max. 2x4 W

NET WEIGHT

1,1lb



13,7x9,8x6,7 in

2,2lb




Certifications:



One color to choose

MOUNTING OPTIONS

Wall lamp



BL

BE

G

T




Steel gloss nickel-plated
and stainless steel



Tati ref. TA06-LD

LED / DIMMABLE



LAMPSHADE

Painted stainless steel

SUPPORT

Steel gloss nickel-plated
and stainless steel

LIGHT SOURCE BUILT-IN

100 - 277V - 60Hz

8W 2700K 960lm built-in

upon request 3000K 1067lm

Dimming system PHASE CONTROL and 0-10V
(only 120Vac TRIAC Dimmers)

NET WEIGHT

1,5lb



13,7x9,8x6,7 in

2,2lb



Certifications:



One color to choose

MOUNTING OPTIONS

Wall lamp



BL

BE


G

T



Steel gloss nickel-plated
and stainless steel

Tati_{ref.} TA06P



LAMPSHADE
Painted stainless steel

One color to choose



CUSTOM
COLOR

Steel gloss nickel-plated
and stainless steel

SUPPORT
Steel gloss nickel-plated
and stainless steel

MOUNTING OPTIONS
Wall lamp

RECOMMENDED BULBS

120V - 60Hz

G9 LED - Max. 1x4 W

NET WEIGHT

1,8lb



14,2x14,2x12,2 in

2,2lb




Certifications:



LED

Tati_{ref.} TA06P-LD



LAMPSHADE
Painted stainless steel

One color to choose



CUSTOM
COLOR

Steel gloss nickel-plated
and stainless steel

SUPPORT
Steel gloss nickel-plated
and stainless steel

MOUNTING OPTIONS
Wall lamp

LED / DIMMABLE

LIGHT SOURCE BUILT-IN

100 - 277V - 60Hz

8W 2700K 960lm built-in

upon request 3000K 1067lm

Dimming system PHASE CONTROL and 0-10V
[only 120Vac TRIAC Dimmers]

NET WEIGHT

2,6lb



14,2x14,2x12,2 in


3,3lb



Certifications:



Tati_{ref.} TA06G



LAMPSHADE
Painted stainless steel

One color to choose



CUSTOM
COLOR

Steel gloss nickel-plated
and stainless steel

SUPPORT
Steel gloss nickel-plated
and stainless steel

MOUNTING OPTIONS
Wall lamp

RECOMMENDED BULBS

120V - 60Hz

E12 LED - Max. 2x7 W

NET WEIGHT

2,2lb




20,5x18,5x12,2 in

5,3lb



Certifications:





LED

Tati^{ref.} TA06G-LD

LED / DIMMABLE

LAMPSHADE

Painted stainless steel

SUPPORT

Steel gloss nickel-plated and stainless steel

LIGHT SOURCE BUILT-IN

100 - 277V - 60Hz

8W 2700K 960lm built-in
upon request 3000K 1067lm

Dimming system PHASE CONTROL and 0-10V
(only 120Vac TRIAC Dimmers)

NET WEIGHT

3,1lb

20,5x18,5x12,2 in

One color to choose



BL

BE

G

T

CUSTOM
COLOR


Steel gloss nickel-plated and stainless steel

MOUNTING OPTIONS

Wall lamp



Certifications:



LED

Venus^{ref.} VE06

LED / DIMMABLE

LAMPSHADE

Painted stainless steel

SUPPORT

Painted steel in the same color that lampshade

LIGHT SOURCE BUILT-IN

100 - 277V - 60Hz

4W 2700K 1060lm built-in

Dimming system PHASE CONTROL and 0-10V
(only 120Vac TRIAC Dimmers)

NET WEIGHT

3,5lb

17,3x17,3x7,9 in

One color to choose



BL

N

CUSTOM
COLOR

MOUNTING OPTIONS

Wall lamp




Certifications:



in progress

ACCESORIOS

CANOPY & PIECE TO MOVE THE ELECTRIC CABLE



Option for luminaires with electric cable only

Option for luminaires with electric and steel cable

CANOPY

Canopy small Ø80mm
Finishing nickel-plated
Maximum 3 outputs
Ref. CAN8



Type 1
One side output



Type 2
Around side output



Type 3
Downward output



Finishing black matt
For compositions with black cable

Canopy medium Ø120mm
Finishing nickel-plated
Maximum 8 outputs
Ref. CAN12



Output number
From 2 to 16
For a larger number of outputs, consult with us

Canopy large Ø142mm
Finishing nickel-plated
Maximum 16 outputs
Ref. CAN14



Headquarters:
Calor Color S.L.
C/ Castiñeiras 108A.
15895 O Milladoiro, A Coruña, Spain.
T. +34 981 814 600

info@a-emotionallight.com
www.a-emotionallight.com

a by emotional light inc.
54 W. 40th St. Suite 816 New York, NY 10018 USA
T. +1 323 599 6363

©2022 Calor Color S.L.
All rights reserved.
Legal deposit:
Printed by Agencia Gráfica. Santiago de Compostela. Spain.

