

a·emotional light

INDEX






TABLE LAMPS 17 - 20



FLOOR LAMPS | LÁMPARAS DE PIE 22 - 25

PENDANT LAMPS
26 - 62





PA104
52



PA204
52



PA304
53



PL04-MINI
53



PL04
53



TA04-1
54



TA04
54



TA04G
55



TEAN04
55



TEVI04-Mini
56



TEVI04
56-57



TEVI04G
57



UR104
58



UR204
58-59



UR304
59



VG04A
60




VG04B
60-61




VV04
61



VV04G
61




VN04-LD
62




WD04
62


COMPOSITIONS
64 - 70



AG04-4-P
64



BA04-3
64



BA04-3-P
64



CO04-3
65




CO04-3-P
65




CO04-5
65



CO04-5-P
66




CO04-10
66




CV04C-3
66




CV04-7
67




FL04-4
67




FL04-16
67




MY04-3
68



NE04-6
68



NE04-11
68



PA04-3-L
69



PA04-3-R
69



TA04-3
69



TA04-5
70



TA04-10
70



UR04-3
70

WALL & CEILING LAMPS
71 - 81



BA06
71



BL06
72



CR06
72




CV06
73




GE06
73



KL06
74



KT06-LD
74




KT06G-LD
75



LI06
75



LI06G
75




MY06
76




NE06P
76




NE06
77




ON06
77-78



ON06G
78



PM06R-LD
78



PM06PR-LD
79




TA06
79



TA06P
80



TA06G
80-81



VE06
81

MATERIALS

1 Painted stainless steel mesh

The stainless steel mesh is a cold industrial material that through manual techniques is converted into lamps. The physical characteristics of these materials allows through methods developed by our team, they can be folded, molded and cut resulting in creative freedom designs. The paint finish adds to this resistant and compact material a greater durability and facilitates its maintenance and cleaning.

Colors & codes: White (BL), beige (BE), grey (G), taupe (T), Black (N).
NCS / RAL Code: White (RAL 9003), beige (S 3020-Y30R), grey (S 2500-N), taupe (S 3005-Y80R), black (RAL 9004).

Collections: Africa, Agasallo, Anel, Ballet, Blossom, Coral, Cors, Gea, Hipatia, Inn, Kala, Kite, Lea, Luisa, Nebra, Nevo, Onn, Planum, Tati, Tempo, Ura, Virginia, Venus.

Clara and Mytilus only available in white.

Cambo only available in black or white.

2 Cellulose cord

The pressed cellulose cord is a pleasant texture material and has a wide range of colors. This medium flammability component is obtained from pressed cellulose and is molded using its own techniques. Due to its physical characteristics it is not recommended to wet the material for cleaning.

Colors & codes: White (42), grey (43), red (46), brown (47), gold yellow (48), medium brown (49), beige (50), green (51), blue (52).

Collection: Caos.

Arc only available in white.

3 Painted stainless steel thread

The stainless steel thread interlaced and embroidered on itself, creates random, light, seemingly fragile volumes, but durable thanks to the sturdiness that paint finish brings.

Colors & codes: White (B).

Collections: Blum, Pili.

4 Galvanized steel mesh

The application of galvanized steel mesh is another example of a different use of the material. The malleability of this material and its hollow light allows it, through painting processes, to become a material with a delicate appearance but of high quality and durability.

Color & code: White (B).

Collection: Fluo.


1








2



3



4



5 Glass

Our semi-handmade glass presents irregular watermarks that gives personality to this material. This opalescent glass comes in a wide range of bright colors.

Colors & codes:

White (02), sand (87), dark amber (89), brown (90), beige (95).

El color beige (95) solo está disponible para la combinación con marrón (90) en la colección Vento.

Collections: Curvas, Vento.

8 Birch wood

A material of high durability and easy maintenance. The birch wood is characterized by its light color and low contrast, allowing easy manual processing. The light that escapes between the wooden slats turns this material into a warm and elegant wood.

Collection: Woods.

6 Pressed cellulose

The pressed cellulose, through a suitable refining process, is a highly flexible and moldable material. Resistant and high durable, it comes in a wide range of colors. Due to its physical characteristics it is not recommended to wet the material.

Colors & codes:

White (42), grey (43), red (46), brown (47), gold yellow (48), medium brown (49), beige (50), green (51), blue (52).

Collections: Bety Eco, Li

9 Ash wood

Ash wood is polyvalent and especially flexible. Its resistance make it a high quality material that, through manual processes, allows curved and durable finishes.

Collection: Aimei.

7 Beech wood

Beech wood is hard and characteristic for its clear and natural shades. This material is easy to work with and the varnishing makes it a very durable and easy to maintain material.

Collection: Cambo.

10 Polycarbonate

Through plastic injection technology, this material is consistently made and is available in two colors. The personalized shape of each piece allows the realization of luminaires of large dimensions and easy maintenance

Colors & codes:

White (B), black (N), terracotta (TE).

Collection: V.

5



white
02

6




white
42



medium brown
49

8



sand
87





grey
43




beige
50

9



dark amber
89




red
46




green
51


10



white
B



brown
90



brown
47



blue
52




black
N

7



gold yellow
48



terracotta
TE

11 Hand-crafted glass

Our hand-crafted glass is a material that is obtained through different manual techniques, including blowing and lamination. The surface finish is done manually by using very fine sand, avoiding the use of chemical agents.

Colors & codes: Yellow (19), white (25) Collections: Era

12 Granite

Galician granite is a natural and sustainable material that is easy to maintain. With a light greyish tone, fine-grained and with black speckles, this material used in Parga is compact and comes from discards. Granite is a material that is highly resistant to heat and wear.

Collection: Parga.

13 3D Knit

The 3D knit allows us to generate volumes and produce our lampshade without waste of material and without seams.

It can be made with 100% recyclable materials.

Colors & codes: Beige (BG), orange (NA)

Collections: Cabana

11



yellow
19


13



beige
BG



white
25



orange
NA

12



AUTHENTICITY GUARANTEE

All lamps are labelled with an identification code and serial number. This fixture is an exclusive and authentic design of the company a-emotional light.

It is entirely handmade in Spain and passes strict quality controls before its entrance into the market.

All our lamps are totally handmade. The differences found in our luminaires and in the different materials used make them unique. Small differences between lamps are not a defect, it is a value because each one is a unique object. The indicated lampshade dimensions are only approximate, never exact.

Some dimensions and/or electrical data may vary, consult your sales advisor.

SYMBOL INDEX



The luminaires made of painted stainless steel mesh can be chosen by RAL or NCS code (see conditions).



Awarded by Interior Design Magazine, New York



As awarded by the International Interior Design Association (IIDA) and Hospitality Design magazine



As awarded by the Chicago Athenaeum Museum of Architecture and Design



Fitting is legally approved and comply with the European Mark CE



For North America, these items comply with the UL standard for luminaires under the UL file of a-emotional light



Only for the USA, these items comply with the UL standard for luminaires under the UL file of a-emotional light



Product marking used for products being placed on the market in Great Britain (England, Scotland and Wales).



Double insulation and/or reinforced insulation in every part and without ground devices



With ground devices



Luminaire to use with tungsten halogen bulbs with own protection shield



The device is not suitable for installation on normally inflammable surface



According to Americans with Disabilities Act




Available with LED built-in technology

0-10V & PCO
PHASE CONTROL only for 120Vac

Regulation of luminous flux between 0 and 10V (1-100%) through an analog signal. Compatible with TRIAC (forward-phase or leading-edge), ELV (reverse-phase or trailing edge) - only at 120Vac.

TECHNICAL CATALOGUE

TABLE LAMPS



Bety Eco ref. BECO01

LAMPSHADE
Pressed Cellulose

SUPPORT
Stainless steel

RECOMMENDED BULBS

NET WEIGHT

120V - 60Hz

3,3lb

E12 LED - Max. 1x7 W



25,6x12,6x9,1 in

One color to choose



CABLE
Transparent

L 78,7in

6,6lb



Certifications:



*pictured color: 46

Blossom ref. BS02



LAMPSHADE
Painted stainless steel

SUPPORT
Painted steel

RECOMMENDED BULBS

NET WEIGHT

120V - 60Hz


6.6lb

E26 LED - Max. 1x12 W



12,6x9x25,6 in

One color to choose



CABLE
White

L 47,2in

8.8lb



Certifications:



Included diffuser



Cambo ref. CM01



LAMPSHADE
Painted stainless steel

SUPPORT
Steel painted in the same color as the lampshade

LIGHT SOURCE BUILT IN

NET WEIGHT

100~277V - 60Hz

4,3lb




7W 2700K 850lm built-in
Dimmable



33x14,9x11 in
10,1lb

One color to choose



CABLE
Black or white combined with support
(except in custom color)

L 47,2in



Certifications:



Beech wood


Painted aluminum

Built-in diffuser




LED

Clara ref. CL02

LAMPSHADE Painted stainless steel	SUPPORT Stainless steel	LIGHT SOURCE BUILT-IN 120-277V - 60Hz □□□□ 24W 2700K 2449lm built-in upon request 3000K 2527lm	NET WEIGHT 10,4lb
One color: white	CABLE Transparent L 78,7in		17,3x17,3x34,6 in 22lb
 BL			Certifications:




Curvas ref. CV01

LAMPSHADE Glass	SUPPORT Painted steel and stainless steel	RECOMMENDED BULBS 120V - 60Hz E12 LED - Max. 1x7 W	NET WEIGHT 4,2lb
One color to choose	CABLE Transparent or black L 47,2in		17,7x9,4x10,2 in 5,7lb
			Certifications:



Era ref. ER01

LAMPSHADE Hand-crafted glass	SUPPORT Steel painted in matt black	RECOMMENDED BULBS 120V - 60Hz E26 LED - Max. 1x12 W	NET WEIGHT 9,2lb
One color to choose from top	CABLE Black L 47,2in		20,7x20,7x20,9 in 15,4lb
			Certifications:
One color to choose			



LED
EXT

Hipatia ref. HI01

LAMPSHADE
Painted stainless steel

SUPPORT
Painted steel
and stainless steel

LIGHT SOURCE BUILT-IN


NET WEIGHT

One color: white

Functions
ON / OFF / DIMMING

120V - 60Hz

2,2lb



BL



Autonomy
6h at 100%

In charge
8 / 10h



3000K 247lm built-in
Rechargeable battery
5V - 2A - 5000mAh



7,4x20x10,6 in

1,3,1lb

Portable

Includes remote
control
(reach 10m | 39,4in)

CABLE
Wireless

USB cable + charger
included



Certifications:



* pictured without charging base

6,7in



Ø 12,2in

8,7in

Nevo ref. NE01

LAMPSHADE
Painted stainless steel

SUPPORT
Painted steel
and stainless steel

RECOMMENDED BULBS

NET WEIGHT


120V - 60Hz

3,5lb

E12 LED - Max. 2x7 W

One color to choose

CABLE
Transparent or black



BL

BE

G

T

L 47,2in



14,2x14,2x12,2 in
2,5,5lb



Steel gloss nickel-
plated

Certifications:



8,3in



Ø 14,9in

27,6in

12,6x10,6in

Nevo ref. NE02

LAMPSHADE
Painted stainless steel

SUPPORT
Stainless steel

RECOMMENDED BULBS

NET WEIGHT

120V - 60Hz

4,4lb

E12 LED - Max. 2x7 W

One color to choose

CABLE
Transparent or black



BL

BE

G

T

L 78,7in



23,6x23,6x13 in
8,8lb



Steel gloss nickel-
plated

Certifications:





Onn ref. ON02

LAMPSHADE
Painted stainless steel

SUPPORT
Stainless steel

RECOMMENDED BULBS

NET WEIGHT

120V - 60Hz

3,77lb

E12 LED - Max. 2x7 W



One color to choose

CABLE
Transparent or black



L 78,7in



Steel gloss nickel-plated

23,6x23,6x13 in
4,5kg | 9,9lb



Certifications:



Tati ref. TA02

LAMPSHADE
Painted stainless steel

SUPPORT
Stainless steel

RECOMMENDED BULBS

NET WEIGHT

120V - 60Hz

3,5lb

E12 LED - Max. 2x7 W



One color to choose

CABLE
Transparent or black



L 78,7in




Steel gloss nickel-plated

23,6x23,6x13 in
8,8lb



Certifications:



Ura ref. UR01

LAMPSHADE
Painted stainless steel

SUPPORT
Stainless steel

RECOMMENDED BULBS

NET WEIGHT

120V - 60Hz

2,2lb

E26 LED - Max. 1x12 W



One color to choose

CABLE
Transparent or black



L 47,2in



Steel gloss nickel-plated

25,5x12,6x9,1 in

1,3,9lb



Certifications:










FLOOR LAMPS




Ø 56,3in

86,6in

Africa ref. AF03

<p>LAMPSHADE Painted stainless steel</p>	<p>RECOMMENDED BULBS 120V - 60Hz E26 LED - Max. 3x12 W</p>	<p>NET WEIGHT 132,7lb</p>
<p>One color to choose</p> <div style="display: flex; justify-content: space-around; margin-top: 5px;"> <div style="text-align: center;">  BL </div> <div style="text-align: center;">  BE </div> <div style="text-align: center;">  G </div> <div style="text-align: center;">  T </div> </div> <div style="margin-top: 10px; border: 1px solid black; padding: 2px; display: inline-block;"> <small>CUSTOM COLOR</small> </div>	<p>SUPPORT Stainless steel and painted steel</p>	<p>CERTIFICATIONS: </p>
<p>CABLE Transparent or black</p> <p>L 98,4in</p>	<p>NET WEIGHT 132,7lb</p> <p></p> <p>60,6x60,2x95,7 in 600lb</p> <p></p>	



Bety Eco ref. BECO03

LAMPSHADE
Pressed Cellulose

SUPPORT
Stainless steel

RECOMMENDED BULBS

NET WEIGHT

One color to choose



CABLE
Transparent or black

L 98,4in

120V - 60Hz

E26 LED - Max. 1x12 W

12,1lb




70,9x4,3x4,3 in

18,5x18,5x24,8 in

17,6lb



Certifications:



LED Clara ref. CL03

LAMPSHADE
Painted stainless steel

SUPPORT
Painted steel and stainless steel

LIGHT SOURCE BUILT-IN

NET WEIGHT

One color: white



CABLE
Transparent

L 98,4in

120~277V - 60Hz

35W 2700K 3367lm built-in
upon request 3000K 3474lm

22lb



174x45x31 cm

68,5x17,7x12,2 in

33,1lb



Certifications:

in progress




Curvas ref. CV03G

LAMPSHADE
Glass
One color to choose

SUPPORT
Painted steel and stainless steel

RECOMMENDED BULBS

NET WEIGHT



Dimmable

CABLE
Transparent or black

L 98,4in

ONLY DIMMABLE LED BULBS

25,6lb

120V - 60Hz

E26 LED - Max. 4x12 W



72,8x17,7x9,8 in

18,5x18,5x24,8 in

33,1lb



Certifications:





70,9in

7,1x9,4in

Ø 20,5in



100cm
39,4in

156cm
61,4in

Ø15in



15,7in

64,2in

Gea ref. GE03

LAMPSHADE
Painted stainless steel

SUPPORT
Painted steel and
stainless steel

RECOMMENDED BULBS
ONLY DIMMABLE LED BULBS

NET WEIGHT
4,32lb

One color to choose

Dimmable

120V - 60Hz

E26 LED - Max. 5x12 W



74x17,2x10,23 in



CABLE
Transparent or black

L 137,8in



Certifications:



Ura ref. UR03

LAMPSHADE
Painted stainless steel

SUPPORT
Stainless steel

RECOMMENDED BULBS
ONLY DIMMABLE LED BULBS

NET WEIGHT
16,8lb

One color to choose

Dimmable

120V - 60Hz

E26 LED - Max. 3x12 W



43,7x16,9x17,3 in



CABLE
Transparent or black

L 3 | 137,8in



N



Certifications:



Virginia ref. VG03A

LAMPSHADE
Painted stainless steel

SUPPORT
Painted steel and
stainless steel

RECOMMENDED BULBS
120V - 60Hz

NET WEIGHT
23,1lb

One color to choose

E26 LED - Max. 1x12 W



61x4,3x4,3 in



CABLE
Transparent

L 98,4in



N



Certifications:





Virginia ref. VG03B

LAMPSHADE
Painted stainless steel

SUPPORT
Painted steel and stainless steel

RECOMMENDED BULBS

NET WEIGHT

One color to choose



BL BE G T



N

CABLE
Transparent

L 98,4in

120V - 60Hz

E26 LED - Max. 1x12 W

22lb



61x4,3x4,3 in

17,3x17,3x15,7 in

125,3lb



Certifications:



V ref. VV03


LAMPSHADE
Polycarbonate

SUPPORT
Painted steel

RECOMMENDED BULBS

NET WEIGHT

One color to choose



B

N

TE



Glass diffuser

CABLE
Transparent or black

L 157,54in

120V - 60Hz

E26 LED - Max. 1x8 W

126,5lb



64,2x16,5x4,3 in

33x33x15 in

41,4lb



Certifications:



PENDANT LAMPS



Aimei ref. A104

LAMPSHADE
Ash wood
Fresno

DIFFUSER
Glass sphere

CANOPY
Steel gloss
nickel-plated

120V: Ø4,7in

CABLE
Transparent

Standard: 78,7in

LIGHT SOURCE BUILT-IN

100~277V - 60Hz

8W 2700K 960lm built-in
upon request 3000K 1067lm

Dimming system PHASE CONTROL & 0-10V
(only 120Vac TRIAC Dimmers)

NET WEIGHT

9,21lb



37,4x37,4x34,6 in

44lb




Certifications:



31,5in

31,5x31,5in



Agasallo 1 ref. AG104

LAMPSHADE
Painted stainless steel

CANOPY
Steel painted in matt black

RECOMMENDED BULBS

NET WEIGHT


One color to choose

120V: Ø4,7in

120V - 60Hz

1,5lb

E26 LED - Max. 1x12 W



18,1x9,4x9,8 in



CABLE
Black


1,2,6lb

Standard: 78,7 in
Lenght customizable



Certifications:

Stainless steel painted in matt black



Agasallo 2 ref. AG204

LAMPSHADE
Painted stainless steel

CANOPY
Steel painted in matt black

RECOMMENDED BULBS

NET WEIGHT

One color to choose

120V: Ø4,7in

120V - 60Hz

2,2lb

E26 LED - Max. 1x12 W



17,3x17,3x15,7 in



CABLE
Black


5,7lb

Standard: 78,7 in
Lenght customizable



Certifications:

Stainless steel painted in matt black



Agasallo 3 ref. AG304

LAMPSHADE
Painted stainless steel

CANOPY
Steel painted in matt black

RECOMMENDED BULBS

NET WEIGHT

One color to choose

120V: Ø4,7in

120V - 60Hz

2,9lb

E26 LED - Max. 1x12 W



18,5x18,5x24,8 in
3,7,5lb




CABLE
Black



Standard: 78,7 in
Lenght customizable

Certifications:

Stainless steel painted in matt black



Agasallo 4 ref. AG404

LAMPSHADE
Painted stainless steel

CANOPY
Steel painted in matt black

RECOMMENDED BULBS

NET WEIGHT


One color to choose

120V: Ø4,7in

120V - 60Hz

1,5kg | 3,3lb

E26 LED - Max. 1x12 W



CABLE
Black

Standard: 78,7 in
Lenght customizable



20x20x20,9 in
3,8,2lb



Certifications:

Stainless steel painted in matt black

LED Anel ref. AN04



LAMPSHADE
Painted stainless steel

CANOPY
Steel painted in matt white

LIGHT SOURCE BUILT-IN

NET WEIGHT

One color

120V: Ø4,7in

100~277V - 60Hz

17,6lb

STRIP 30W 2700K 3540lm built-in
Dimming system 0-10V



Painted steel

CABLE
Transparent

Standard: 78,7 in
Lenght customizable



28,7x28,7x12,1 in


124,2lb



Certifications:

Difusser included

LED Anel ref. AN05



LAMPSHADE
Painted stainless steel

SUPPORT
Painted steel

LIGHT SOURCE BUILT-IN

NET WEIGHT

One color

100~277V - 60Hz

17,6lb

STRIP 30W 2700K 3540lm built-in
Dimming system 0-10V



Difusser included



28,7x28,7x12,1 in

24,2lb



Certifications:

Ballet Plié ref. BAPI04



LAMPSHADE
Painted stainless steel

One color to choose



CUSTOM
COLOR

Stainless steel

CANOPY
Steel gloss nickel-plated

120V: Ø4,7in

CABLE
Transparent or black

Standard: 78,7 in
Lenght customizable

RECOMMENDED BULBS

120V - 60Hz

E26 LED - Max. 1x12 W

NET WEIGHT

1,2,6lb



23,6x23,6x13 in
7,2lb



Certifications:

LED Ballet Plié ref. BAPI04-LD LED / DIMMABLE



LAMPSHADE
Painted stainless steel

One color to choose



CUSTOM
COLOR

Stainless steel

Inside diffuser

CANOPY
Steel gloss nickel-plated

120V: Ø4,7in

CABLE
Transparent or black

Standard: 78,7 in
Lenght customizable

LIGHT SOURCE BUILT-IN

100~277V - 60Hz

17W 2700K 1645lm built-in
upon request 3000K 1776lm

Dimming system PHASE CONTROL & 0-10V
(only 120Vac TRIAC Dimmers)

NET WEIGHT

2,4,6lb



23,6x23,6x13 in
9,7lb



Certifications:

Ballet Relevé ref. BARE04



LAMPSHADE
Painted stainless steel

One color to choose



CUSTOM
COLOR

Stainless steel

CANOPY
Steel gloss nickel-plated

120V: Ø4,7in

CABLE
Transparent or black

Standard: 78,7 in
Lenght customizable

RECOMMENDED BULBS

120V - 60Hz

E26 LED - Max. 1x12 W

NET WEIGHT

2,2lb



17,3x17,3x15,7 in
4,6lb



Certifications:

15,7in



18,1x7,9in



Ballet Relevé ref. BARE04-LD LED / DIMMABLE

LAMPSHADE
Painted stainless steel

CANOPY
Steel gloss
nickel-plated

LIGHT SOURCE BUILT-IN

NET WEIGHT

One color to choose

120V: Ø4,7in

100~277V - 60Hz

1,3,7lb



● 17W 2700K 1645lm built-in
upon request 3000K 1776lm



Dimming system PHASE CONTROL & 0-10V
(only 120Vac TRIAC Dimmers)

17,3x17,3x15,7 in
6,3lb

Stainless steel

CABLE
Transparent or black



Standard: 78,7 in
Lenght customizable

Certifications:

Bottom diffuser

16,5in



18,5x14,2in



Ballet Elancé ref. BALA04 LED / DIMMABLE

LAMPSHADE
Painted stainless steel

CANOPY
Steel gloss
nickel-plated

LIGHT SOURCE BUILT-IN

NET WEIGHT

One color to choose

120V: Ø4,7in

120V - 60Hz

2,4lb



● E26 LED - Max. 1x12 W



Dimming system PHASE CONTROL & 0-10V
(only 120Vac TRIAC Dimmers)

17,3x17,3x15,7 in
5,3lb

Stainless steel

CABLE
Transparent or black



Standard: 78,7 in
Lenght customizable

Certifications:

Inside diffuser

16,5in



18,5x14,2in



Bety Eco ref. BECO04

LAMPSHADE
Pressed Cellulose

One color to choose



*pictured color: 42

CANOPY
Steel gloss
nickel-plated

120V: Ø4,7in

RECOMMENDED BULBS

120V - 60Hz

E26 LED - Max. 1x12 W

NET WEIGHT

2,4,6lb



18,5x18,5x24,8 in
6,6lb



Certifications:



Bety Eco ref. BECO04-LD

LED / DIMMABLE

LAMPSHADE
Pressed Cellulose

One color to choose



*pictured color: 42

CANOPY
Steel gloss
nickel-plated

120V: Ø4,7in

LIGHT SOURCE BUILT-IN

100-277V - 60Hz

17W 2700K 1645lm built-in
upon request 3000K 1776lm

Dimming system PHASE CONTROL & 0-10V
(only 120Vac TRIAC Dimmers)

NET WEIGHT

5,5lb



18,5x18,5x24,8 in
8,8lb



Certifications:



Blum ref. BL04

LAMPSHADE
Painted stainless steel
thread

One color : white



CANOPY
Steel gloss
nickel-plated

120V: Ø4,7in

RECOMMENDED BULBS

120V - 60Hz

E26 LED - Max. 1x12 W

NET WEIGHT

2,9lb



17,3x17,3x15,7 in
5,1lb



Certifications:

Cabana ref. CB04



LAMPSHADE
3D Knit

One color to choose



Painted aluminium

CANOPY
Steel painted in matt black

120V: Ø4,7in

CABLE
Black

Standard: 78,7 in
Lenght customizable

RECOMMENDED BULBS

120V - 60Hz

E26 LED Opal - Max. 1x12 W
1521 lm recommended bulb

NET WEIGHT

3,3b



28x28x6,3 in
5,5lb



Certifications:
cUL US

Cabana ref. CB04G



LAMPSHADE
3D Knit

One color to choose



Painted aluminium

CANOPY
Steel painted in matt black

120V: Ø4,7in

CABLE
Black

Standard: 78,7 in
Lenght customizable

RECOMMENDED BULBS

120V - 60Hz

E26 LED Opal - Max. 3x12 W
1521 lm recommended bulbs

NET WEIGHT

7,7lb



40,1x40,1x6,7 in

14,5lb



Certifications:
cUL US


LED

Cambo ref. CM104



LAMPSHADE
Painted stainless steel

One color to choose



Beech wood

Painted aluminum

Built-in diffuser

CANOPY
Steel painted in mat black

120V: Ø4,7in

CABLE
Black

Standard: 78,7 in
Length customizable

LIGHT SOURCE BUILT IN

100~277V - 60Hz

7W 2700K 850lm built-in

Dimming system: PHASE CONTROL & 0-10V
(only 120Vac TRIAC Dimmers)

NET WEIGHT

2,1lb



25,2x15,3x11 in

6,3lb



Certifications:
cUL US



LED

Cambo ref. CM104G


LAMPSHADE
Painted stainless steel

CANOPY
Steel painted in matt black

LIGHT SOURCE BUILT IN

NET WEIGHT

One color to choose



120V: Ø4,7in

100~277V - 60Hz

3,1lb

7W 2700K 850lm built-in



Dimming system: PHASE CONTROL & 0-10V
(only 120Vac TRIAC Dimmers)

33,1x15,3x11 in

6,6lb

Beech wood

CABLE
Black



Painted aluminum

Standard: 78,7 in
Length customizable

Certifications:
cULus

Built-in diffuser

23.6in



LED

Cambo ref. CM304


LAMPSHADE
Painted stainless steel

CANOPY
Steel painted in matt black

LIGHT SOURCE BUILT IN

NET WEIGHT

One color to choose



120V: Ø4,7in

100~277V - 60Hz

3,1lb

7W 2700K 850lm built-in



Dimming system: PHASE CONTROL & 0-10V
(only 120Vac TRIAC Dimmers)

33,1x15,3x11 in
6,6lb

Beech wood

CABLE
Black



Painted aluminum

Standard: 78,7 in
Length customizable

Certifications:
cULus

Built-in diffuser

29.5in



LED

Cambo ref. CM304G


LAMPSHADE
Painted stainless steel

CANOPY
Steel painted in matt black

LIGHT SOURCE BUILT IN

NET WEIGHT

One color to choose



120V: Ø4,7in

100~277V - 60Hz

3,1lb

7W 2700K 850lm built-in



Dimming system: PHASE CONTROL & 0-10V
(only 120Vac TRIAC Dimmers)

33,1x15,3x11 in
6,6lb

Beech wood

CABLE
Black



Painted aluminum

Standard: 78,7 in
Length customizable

Certifications:
cULus

Built-in diffuser

Caos ref. CA04A



LAMPSHADE
Cord

One color to choose



Stainless steel

CANOPY
Steel gloss
nickel-plated

120V: Ø4,7in

CABLE
Transparent or black

Standard: 78,7 in
Lenght customizable

RECOMMENDED BULBS

120V - 60Hz

E26 LED - Max. 1x12 W

NET WEIGHT

2,4lb



17,3x17,3x15,7 in
3,3lb



Certifications:

LED

Caos ref. CA04A-LD

LED / DIMMABLE



LAMPSHADE
Cord

One color to choose



Stainless steel

Bottom diffuser

CANOPY
Steel gloss
nickel-plated

120V: Ø4,7in

CABLE
Transparent or black

Standard: 78,7 in
Lenght customizable

LIGHT SOURCE BUILT-IN

100~277V - 60Hz

17W 2700K 1645lm built-in
upon request 3000K 1776lm

Dimming system PHASE CONTROL & 0-10V
(only 120Vac TRIAC Dimmers)

NET WEIGHT

1,4lb



17,3x17,3x15,7 in
4,6lb



Certifications:

Caos ref. CA04B

RECOMMENDED BULBS

120V - 60Hz

E26 LED - Max. 1x12 W

NET WEIGHT

1,2,4lb



14,2x14,2x12,2 in
3,3lb



Certifications:



LAMPSHADE
Cord

One color to choose



Stainless steel

CANOPY
Steel gloss
nickel-plated

120V: Ø4,7in

CABLE
Transparent or black

Standard: 78,7 in
Lenght customizable



Caos ref. CA04B-LD

LED / DIMMABLE



LAMPSHADE
Cord

CANOPY
Steel gloss
nickel-plated

LIGHT SOURCE BUILT-IN

NET WEIGHT



One color to choose

120V: Ø4,7in

100~277V - 60Hz

● 17W 2700K 1645lm built-in
upon request 3000K 1776lm

3,7lb



CABLE
Transparent or black

Dimming system PHASE CONTROL & 0-10V
(only 120Vac TRIAC Dimmers)



14,2x14,2x12,2 in
4,6lb



Standard: 78,7 in
Lenght customizable

Certifications:



Stainless steel

Bottom diffuser

Caos ref. CA04AG



LAMPSHADE
Cord

CANOPY
Steel gloss
nickel-plated

RECOMMENDED BULBS

NET WEIGHT


One color to choose

120V: Ø4,7in

120V - 60Hz

💡 E26 LED - Max. 1x12 W

3,7lb



CABLE
Transparent or black



20x20x20,9 in
8,6lb



Standard: 78,7 in
Lenght customizable

Certifications:



Stainless steel



Caos ref. CA04AG-LD

LED / DIMMABLE



LAMPSHADE
Cord

CANOPY
Steel gloss
nickel-plated

LIGHT SOURCE BUILT-IN

NET WEIGHT


One color to choose

120V: Ø4,7in

100~277V - 60Hz

● 17W 2700K 1645lm built-in
upon request 3000K 1776lm

5,1lb



CABLE
Transparent or black

Dimming system PHASE CONTROL & 0-10V
(only 120Vac TRIAC Dimmers)



20x20x20,9 in
8,8lb



Standard: 78,7 in
Lenght customizable

Certifications:



Stainless steel

Bottom diffuser

Coral Cay ref. COCY04



LAMPSHADE
Painted stainless steel

CANOPY
Steel gloss nickel-plated

RECOMMENDED BULBS

NET WEIGHT

One color to choose

120V: Ø4,7in

120V - 60Hz

2,4lb

E26 LED - Max. 1x12 W



CABLE
Transparent or black

14,2x14,2x12,2 in
3,4lb



Standard: 78,7 in
Lenght customizable



Stainless steel

Certifications:

LED

Coral Cay ref. COCY04-LD LED / DIMMABLE



LAMPSHADE
Painted stainless steel

CANOPY
Steel gloss nickel-plated

LIGHT SOURCE BUILT-IN

NET WEIGHT

One color to choose

120V: Ø4,7in

100~277V - 60Hz

2,9lb


17W 2700K 1645lm built-in
upon request 3000K 1776lm



CABLE
Transparent or black

Dimming system PHASE CONTROL & 0-10V
(only 120Vac TRIAC Dimmers)

14,2x14,2x12,2 in
4,1lb



Standard: 78,7 in
Lenght customizable



Stainless steel

Certifications:

Bottom diffuser

Coral Galaxea ref. COGA04



LAMPSHADE
Painted stainless steel

CANOPY
Steel gloss nickel-plated

RECOMMENDED BULBS

NET WEIGHT

One color to choose

120V: Ø4,7in

120V - 60Hz


2,6lb

E26 LED - Max. 1x12 W



CABLE
Transparent or black

14,2x14,2x12,2 in
3,7lb



Standard: 78,7 in
Lenght customizable



Stainless steel

Certifications:



Coral Galaxea ref. COGA04-LD LED / DIMMABLE

LAMPSHADE	CANOPY	LIGHT SOURCE BUILT-IN	NET WEIGHT
Painted stainless steel	Steel gloss nickel-plated	100~277V - 60Hz	4,2lb
One color to choose	120V: Ø4,7in	17W 2700K 1645lm built-in upon request 3000K 1776lm Dimming system PHASE CONTROL & 0-10V (only 120Vac TRIAC Dimmers)	 14,2x14,2x12,2 in 5,9lb
 	CABLE Transparent or black Standard: 78,7 in Length customizable	 Certifications: 	
Stainless steel			
Bottom diffuser			



Coral Reef ref. CORE04

LAMPSHADE	CANOPY	RECOMMENDED BULBS	NET WEIGHT
Painted stainless steel	Steel gloss nickel-plated	120V - 60Hz	3,5lb
One color to choose	120V: Ø4,7in	E26 LED - Max. 1x12 W	 25,5x12,6x9,1 in 4,8lb
 	CABLE Transparent or black Standard: 78,7 in Length customizable	 Certifications: 	
Stainless steel			



Coral Reef ref. CORE04-LD LED / DIMMABLE

LAMPSHADE	CANOPY	LIGHT SOURCE BUILT-IN	NET WEIGHT
Painted stainless steel	Steel gloss nickel-plated	100~277V - 60Hz	5,3lb
One color to choose	120V: Ø4,7in	17W 2700K 1645lm built-in upon request 3000K 1776lm Dimming system PHASE CONTROL & 0-10V (only 120Vac TRIAC Dimmers)	 26x12,6x9,1 in 6,4lb
 	CABLE Transparent or black Standard: 78,7 in Length customizable	 Certifications: 	
Stainless steel			
Bottom diffuser			

Coral Sea ref. COSE04



LAMPSHADE
Painted stainless steel

CANOPY
Steel gloss nickel-plated

RECOMMENDED BULBS

NET WEIGHT

One color to choose

120V: Ø4,7in

120V - 60Hz

3,1lb

E26 LED - Max. 1x12 W



BL BE G T

CABLE
Transparent or black



N

Standard: 78,7 in
Lenght customizable



14,2x14,2x12,2 in
4,4lb



Stainless steel

Certifications:



LED

Coral Sea ref. COSE04-LD LED / DIMMABLE



LAMPSHADE
Painted stainless steel

CANOPY
Steel gloss nickel-plated

LIGHT SOURCE BUILT-IN

NET WEIGHT


One color to choose

120V: Ø4,7in

100~277V - 60Hz

4,2lb

17W 2700K 1645lm built-in
upon request 3000K 1776lm



BL BE G T

CABLE
Transparent or black



N

Standard: 78,7 in
Lenght customizable

Dimming system PHASE CONTROL & 0-10V
(only 120Vac TRIAC Dimmers)



17,3x17,3x15,7 in
5,5lb



Stainless steel

Certifications:



Bottom diffuser

Coral Seurchin ref. COAU04



LAMPSHADE
Painted stainless steel

CANOPY
Steel gloss nickel-plated

RECOMMENDED BULBS

NET WEIGHT


One color to choose

120V: Ø4,7in

120V - 60Hz

3,7lb

E26 LED - Max. 1x12 W



BL BE G T

CABLE
Transparent or black



N

Standard: 78,7 in
Lenght customizable



17,3x17,3x15,7 in
6,4lb



Stainless steel

Certifications:






Coral Seaurchin ref. COAU04-LD LED / DIMMABLE



LAMPSHADE
Painted stainless steel

One color to choose



Stainless steel

Bottom diffuser

CANOPY
Steel gloss nickel-plated

120V: Ø4,7in

CABLE
Transparent or black

Standard: 78,7 in
Lenght customizable

LIGHT SOURCE BUILT-IN

100~277V - 60Hz

● 17W 2700K 1645lm built-in
upon request 3000K 1776lm

Dimming system PHASE CONTROL & 0-10V
(only 120Vac TRIAC Dimmers)

NET WEIGHT

5,3lb



17,3x17,3x15,7 in
6,9lb




Certifications:

Coral Seaurchin ref. COAU04G



LAMPSHADE
Painted stainless steel

One color to choose



Stainless steel

CANOPY
Steel gloss nickel-plated

120V: Ø4,7in

CABLE
Transparent or black

Standard: 78,7 in
Lenght customizable

RECOMMENDED BULBS

120V - 60Hz

● E26 LED - Max. 4x12 W

NET WEIGHT

9,9lb



28x28x17 in
15,9lb



Certifications:




Coral Seaurchin ref. COAU04G-LD LED / DIMMABLE



LAMPSHADE
Painted stainless steel

One color to choose



Stainless steel

Bottom diffuser

CANOPY
Steel gloss nickel-plated

120V: Ø4,7in

CABLE
Transparent or black

Standard: 78,7 in
Lenght customizable

LIGHT SOURCE BUILT-IN

100~277V - 60Hz

● 35W 2700K 3938lm built-in
upon request 3000K 4086lm

Dimming system 0-10V

NET WEIGHT

9,9lb



28x28x17 in
17,6lb




Certifications:



Curvas ref. CV04-1

LAMPSHADE
Glass

One color to choose



CANOPY
Steel gloss nickel-plated

120V: Ø4,7in

CABLE
Transparent or black

Standard: 78,7 in
Lenght customizable

RECOMMENDED BULBS

120V - 60Hz

E12 LED - Max. 1x7 W

NET WEIGHT

1,5lb




8,3x8,3x8,7 in

3,7lb




Certifications:



Curvas ref. CV04

LAMPSHADE
Glass

One color to choose



Bottom diffuser

CANOPY
Steel gloss nickel-plated

120V: Ø4,7in

CABLE
Transparent or black

Standard: 78,7 in
Lenght customizable

RECOMMENDED BULBS

120V - 60Hz

E26 LED - Max. 1x8 W

NET WEIGHT

4,6lb



17,3x17,3x15,7 in
9,7lb




Certifications:



Curvas ref. CV04G

LAMPSHADE
Glass

One color to choose



Top and bottom
diffuser

CANOPY
Steel gloss nickel-plated

120V: Ø4,7in

CABLE
Transparent or black

Standard: 78,7 in
Lenght customizable

RECOMMENDED BULBS

120V - 60Hz

E26 LED - Max. 4x12 W

NET WEIGHT

12,3lb



23,6x31,5x17,7 in

27,3lb



Certifications:

23,6in




Ø 29,5in

Fluo ref. FL04

LAMPSHADE
Galvanized painted steel

One color: white



CANOPY
Steel gloss nickel-plated and Stainless steel

120V: Ø4,7in

CABLE
Transparent or black

Standard: 78,7 in
Lenght customizable

RECOMMENDED BULBS

120V - 60Hz



NET WEIGHT

7,3lb



29,9x31,9x30,7 in
21,6lb




Certifications:



Gea ref. GE04

LAMPSHADE
Painted stainless steel

One color to choose



CANOPY
Steel gloss nickel-plated

120V: Ø4,7in

CABLE
Transparent or black

Standard: 78,7 in
Lenght customizable

RECOMMENDED BULBS

120V - 60Hz



NET WEIGHT

2,4lb



25,9x12,6x9,1 in

4,4lb



Certifications:



17,7in




Ø 7,5in

LED

Gea ref. GE04-LD

LAMPSHADE
Painted stainless steel

One color to choose



Bottom diffuser

CANOPY
Steel gloss nickel-plated

120V: Ø4,7in


CABLE
Transparent or black

Standard: 78,7 in
Lenght customizable

LED / DIMMABLE

LIGHT SOURCE BUILT-IN

100-277V - 60Hz



Dimming system PHASE CONTROL & 0-10V
(only 120Vac TRIAC Dimmers)

NET WEIGHT

4,2lb



25,9x12,6x9,1 in

5,8lb



Certifications:



17,7in



Ø 7,5in

8.3in




Ø 9.4in

Inn ref. IN04-Mini

LAMPSHADE
Painted stainless steel

One color to choose



CUSTOM
COLOR

Steel painted in black

CANOPY
Steel painted in matt
black

120V: Ø4,7in

CABLE
Black

Standard: 78,7 in
Lenght customizable

RECOMMENDED BULBS

120V - 60Hz

E12 LED - Max. 1x12 W

NET WEIGHT

1,5lb



14,2x14,2x12,2 in
2,2lb




Certifications:



Inn ref. IN04

LAMPSHADE
Painted stainless steel

One color to choose



CUS-
TOM
COLOR

Steel painted in black

CANOPY
Steel painted in matt
black

120V: Ø4,7in

CABLE
Black

Standard: 78,7 in
Lenght customizable

RECOMMENDED BULBS

120V - 60Hz

E26 LED - Max. 1x12 W

NET WEIGHT

2,6lb



17,3x17,3x15,7 in
6,2lb



Certifications:



12.6in



Ø15in

Lea ref. LA04-Mini

LAMPSHADE
Painted stainless steel

One color to choose



Stainless steel

CANOPY
Steel gloss nickel-
plated

120V: Ø4,7in

CABLE
Transparent or black

Standard: 78,7 in
Length customizable

RECOMMENDED BULBS

120V - 60Hz

E12 LED - Max. 1x12 W

NET WEIGHT

1,8lb




14,2x14,2x12,2 in
2,6lb



Certifications:



7.1in




12.6x12.6in



Lea ref. LA04-Mini-LD

LAMPSHADE
Painted stainless steel

One color to choose



Stainless steel

CANOPY
Steel gloss nickel-plated

120V: Ø4,7in

CABLE
Transparent or black

Standard: 78,7 in
Length customizable

LIGHT SOURCE BUILT-IN

100~277V - 60Hz

8W 2700K 960lm built-in
upon request 3000K 1067lm

Dimming system PHASE CONTROL & 0-10V
(only 120Vac TRIAC Dimmers)

NET WEIGHT

2,2lb



14,2x14,2x12,2 in
3,1lb



Certifications:


9in



Lea ref. LA04

LAMPSHADE
Painted stainless steel

One color to choose



Stainless steel

CANOPY
Steel gloss nickel-plated

120V: Ø4,7in

CABLE
Transparent or black

Standard: 78,7 in
Length customizable

RECOMMENDED BULBS

120V - 60Hz

E26 LED - Max. 1x12 W

NET WEIGHT

2,2lb



14,2x14,2x12,2 in
4,2lb




Certifications:



Lea ref. LA04-LD

LAMPSHADE
Painted stainless steel

One color to choose



Stainless steel

CANOPY
Steel gloss nickel-plated

120V: Ø4,7in

CABLE
Transparent or black

Standard: 78,7 in
Length customizable

LIGHT SOURCE BUILT-IN

100~277V - 60Hz

17W 2700K 1533 lm built-in
upon request 3000K 1655 lm

Dimming system PHASE CONTROL & 0-10V
(only 120Vac TRIAC Dimmers)

NET WEIGHT

3,3lb



14,2x14,2x12,2 in
5,3lb



Certifications:

9in





Lea ref. LA04G

LAMPSHADE	CANOPY	RECOMMENDED BULBS	NET WEIGHT
Painted stainless steel	Steel gloss nickel-plated	120V - 60Hz	4,6lb
One color to choose	120V: Ø4,7in	E26 LED - Max. 3x12 W	
	CABLE Transparent or black		20x20x20,9 in 9,7lb
Stainless steel	Standard: 78,7 in Length customizable		
			Certifications:



LED Lea ref. LA04G-LD

LAMPSHADE	CANOPY	LIGHT SOURCE BUILT-IN	NET WEIGHT
Painted stainless steel	Steel gloss nickel-plated	100~277V - 60Hz	5,1lb
One color to choose	120V: Ø4,7in	17W 2700K 1645lm built-in upon request 3000K 1776lm	
	CABLE Transparent or black	Dimming system PHASE CONTROL & 0-10V (only 120Vac TRIAC Dimmers)	20x20x20,9 in 10,1lb
Stainless steel	Standard: 78,7 in Length customizable		
			Certifications:



Luisa ref. LS04

LAMPSHADE	CANOPY	RECOMMENDED BULBS	NET WEIGHT
Painted stainless steel	Steel gloss nickel-plated	120V - 60Hz	3,5lb
One color to choose	120V: Ø4,7in	E26 LED - Max. 1x12 W	
	CABLE Transparent		17,3x17,3x15,7 in 6,6lb
Stainless steel	Standard: 78,7 in Lenght customizable		
			Certifications:



Luisa ref. LS04-LD

LED / DIMMABLE

LAMPSHADE
Painted stainless steel

CANOPY
Steel gloss nickel-plated

LIGHT SOURCE BUILT-IN

NET WEIGHT

One color to choose

120V: Ø4,7in

100~277V - 60Hz

5,3lb

● 17W 2700K 1645lm built-in
upon request 3000K 1776lm

Dimming system PHASE CONTROL & 0-10V
(only 120Vac TRIAC Dimmers)



CABLE
Transparent

17,3x17,3x15,7 in
7,1lb

Standard: 78,7 in
Lenght customizable



Stainless steel



Bottom diffuser

Certifications:



Luisa ref. LS04G



LAMPSHADE
Painted stainless steel

CANOPY
Steel gloss nickel-plated

RECOMMENDED BULBS

NET WEIGHT


One color to choose

120V: Ø4,7in

120V - 60Hz

2,6lb


⚡ E26 LED - Max. 1x12 W



CABLE
Transparent



Standard: 78,7 in
Lenght customizable



Stainless steel

20x20x20,9 in
9lb



Certifications:



Luisa ref. LS04G-LD

LED / DIMMABLE



LAMPSHADE
Painted stainless steel

CANOPY
Steel gloss nickel-plated

LIGHT SOURCE BUILT-IN

NET WEIGHT

One color to choose

120V: Ø4,7in

100~277V - 60Hz

7,3lb

● 17W 2700K 1645lm built-in
upon request 3000K 1776lm


Dimming system PHASE CONTROL & 0-10V
(only 120Vac TRIAC Dimmers)



CABLE
Transparent

20x20x20,9 in
10,1lb

Standard: 78,7 in
Lenght customizable




Stainless steel



Bottom diffuser

Certifications:






Mytilus ref. MY04

LAMPSHADE
Painted stainless steel

One color to choose



DIFFUSER
Glass sphere

CANOPY
Steel painted in white or black

120V: Ø14,2cm | 5,6in

CABLE
Transparent
Standard: 78,7 in
Lenght customizable

*approximate measurements

LED / DIMMABLE

LIGHT SOURCE BUILT-IN

100~277V - 60Hz

8W 2700K 960lm built-in
upon request 3000K 1067lm

Dimming system PHASE CONTROL & 0-10V
(only 120Vac TRIAC Dimmers)

NET WEIGHT

6,6lb



23,6x23,6x8,7 in
12,1lb




Certifications:



Mytilus ref. MY04G

LAMPSHADE
Painted stainless steel

One color to choose



DIFFUSER
Glass sphere

CANOPY
Steel painted in white or black

120V: Ø14,2cm | 5,6in

CABLE
Transparent
Standard: 78,7 in
Lenght customizable

*approximate measurements

LED / DIMMABLE

LIGHT SOURCE BUILT-IN

100~277V - 60Hz

8W 2700K 960lm built-in
upon request 3000K 1067lm

Dimming system PHASE CONTROL & 0-10V
(only 120Vac TRIAC Dimmers)

NET WEIGHT


6,5lb



32,3x38,2x11,8 in
16,7lb




Certifications:



Nebra ref. NB04

LAMPSHADE
Painted stainless steel

One color to choose



Steel painted in black

DIFFUSER
Bottom & interior

CANOPY
Steel painted in black

120V:
30x12x2cm | 11,8x4,7x0,8in

CABLE
Black
Standard Over all Height:
78,7 in
Lenght customizable

LIGHT SOURCE BUILT-IN

120V - 60Hz

STRIP 20W 2700K 3704lm built-in:
directional light 3224lm
decorative light 480lm

Dimmable 0-10V

NET WEIGHT

4,8lb



43,7x12,6x10,2 in

6,8lb




Certifications:

color picture: INOX

LED

Nebra ref. NB04_120



color picture: INOX

LAMPSHADE
Painted stainless steel



Steel painted in black

DIFFUSER
Bottom & interior

CANOPY
Steel painted in black

120V:
30x12x2cm | 11,8x4,7x0,8in

CABLE
Black

Standard Over all Height:
78,7 in
Lenght customizable

LIGHT SOURCE BUILT-IN

100~277V - 60Hz

STRIP 33W 2700K 3867lm built-in:
directional light 3327lm
decorative light 570lm

Dimming system 0-10V

NET WEIGHT

9,7lb



55,9x17,7x10,6 in
18,1lb




Certifications:




LED

Nebra ref. NB04_160



LAMPSHADE
Painted stainless steel

One color to choose



Steel painted in black

DIFFUSER

CANOPY
Steel painted in black

120V:
30x12x2cm | 11,8x4,7x0,8in

CABLE
Black

Standard Over all Height:
78,7 in
Lenght customizable

LIGHT SOURCE BUILT-IN

100~277V - 60Hz

STRIP 42W 2700K 4670lm built-in:
directional light 3931lm
decorative light 739lm

Dimming system 0-10V

NET WEIGHT

15,4lb



70,8x17,7x10,6 in
24,9lb



Certifications:




Nevo ref. NE04-1



LAMPSHADE
Painted stainless steel

One color to choose



Steel gloss nickel-plated
and Stainless steel

CANOPY
Steel painted in white

120V: Ø4,7in

CABLE
Transparent

Standard: 78,7 in
Lenght customizable

RECOMMENDED BULBS

120V - 60Hz

E12 LED - Max. 2x7 W

NET WEIGHT

2,6lb



14,2x14,2x12,2 in
5lb



Certifications:





Nevo ref. NE04-1-LD

LED / DIMMABLE



LAMPSHADE
Painted stainless steel

CANOPY
Steel painted in white

LIGHT SOURCE BUILT-IN

NET WEIGHT

One color to choose

120V: Ø4,7in

100~277V - 60Hz

4,2lb



17W 2700K 1533 lm built-in
upon request 3000K 1655 lm



Dimming system PHASE CONTROL & 0-10V
(only 120Vac TRIAC Dimmers)



CABLE
Transparent

Standard: 78,7 in
Lenght customizable

14,2x14,2x12,2 in
5,1lb



Stainless steel


Certifications:

Inside diffuser

Nevo ref. NE04

RECOMMENDED BULBS

NET WEIGHT



LAMPSHADE
Painted stainless steel

CANOPY
Steel painted in white

120V - 60Hz

6,8lb

One color to choose

120V: Ø4,7in

E26 LED - Max. 3x8 W



CABLE
Transparent

Standard: 78,7 in
Lenght customizable

23,6x23,6x13 in
11lb



Steel gloss nickel-plated
and Stainless steel

Certifications:

Nevo ref. NE04G

RECOMMENDED BULBS

NET WEIGHT



LAMPSHADE
Painted stainless steel

CANOPY
Steel painted in white

120V - 60Hz

12,3lb

One color to choose

120V: Ø4,7in

E26 LED - Max. 4x12 W



CABLE
Transparent

Standard: 78,7 in
Lenght customizable

33x33x15 in
20,7lb



Steel gloss nickel-plated
and Stainless steel

Certifications:

Onn ref. ON04-Mini



LAMPSHADE
Painted stainless steel

One color to choose



Stainless steel

CANOPY
Steel gloss nickel-plated

120V: Ø4,7in

CABLE
Transparent or black

Standard:
78,7 in

Lenght customizable:

RECOMMENDED BULBS

120V - 60Hz

E12 LED - Max. 1x4 W

NET WEIGHT

0,9lb



8,3x8,3x8,7 in
2,2lb



Certifications:

*Minimun order 2 pieces

LED

Onn ref. ON04-Mini-LD



LAMPSHADE
Painted stainless steel

One color to choose



Stainless steel

Bottom diffuser

CANOPY
Steel gloss nickel-plated

120V: Ø4,7in

CABLE
Transparent or black

Standard:
78,7 in

Lenght
customizable:

LIGHT SOURCE BUILT-IN

100-277V - 60Hz

8W 2700K 960lm built-in
upon request 3000K 1067lm

Dimming system PHASE CONTROL & 0-10V
(only 120Vac TRIAC Dimmers)

NET WEIGHT

2,2lb



8,3x8,3x8,7 in
3,6lb



Certifications:


*Minimun order 2 pieces

Onn ref. ON04-1



LAMPSHADE
Painted stainless steel

One color to choose



Stainless steel

CANOPY
Steel gloss nickel-plated

120V: Ø4,7in

CABLE
Transparent or black

Standard: 78,7 in
Lenght customizable

RECOMMENDED BULBS

120V - 60Hz

E26 LED - Max. 1x12 W

NET WEIGHT

1,8lb



14,2x14,2x12,2 in
2,7lb



Certifications:



LED

Onn ref. ON04-1-LD

LED / DIMMABLE

LAMPSHADE
Painted stainless steel

CANOPY
Steel gloss nickel-plated

LIGHT SOURCE BUILT-IN

NET WEIGHT

One color to choose

120V: Ø4,7in

100-277V - 60Hz

2,2lb



8W 2700K 960lm built-in
upon request 3000K 1067lm



CABLE
Transparent or black

Dimming system PHASE CONTROL & 0-10V
(only 120Vac TRIAC Dimmers)

14,2x14,2x12,2 in
3,6lb

Stainless steel

Standard: 78,7 in
Lenght customizable



Certifications:



Bottom diffuser

Onn ref. ON04



LAMPSHADE
Painted stainless steel

CANOPY
Steel gloss nickel-plated

RECOMMENDED BULBS

NET WEIGHT

One color to choose

120V: Ø4,7in

120V - 60Hz

3,1lb



E26 LED - Max. 1x12 W



CABLE
Transparent or black

17,3x17,3x15,7 in
6,6lb

Stainless steel

Standard: 78,7 in
Lenght customizable



Certifications:



LED

Onn ref. ON04-LD

LED / DIMMABLE



LAMPSHADE
Painted stainless steel

CANOPY
Steel gloss nickel-plated

LIGHT SOURCE BUILT-IN

NET WEIGHT

One color to choose


120V: Ø4,7in

100-277V - 60Hz

4,4lb



17W 2700K 1645lm built-in
upon request 3000K 1776lm



CABLE
Transparent or black

17,3x17,3x15,7 in
8,4lb

Stainless steel

Standard: 78,7 in
Lenght customizable



Certifications:



Bottom diffuser



Onn ref. ON04G

LAMPSHADE
Painted stainless steel

One color to choose



Stainless steel

CANOPY
Steel gloss nickel-plated

120V: Ø4,7in

CABLE
Transparent or black

Standard: 78,7 in
Lenght customizable

RECOMMENDED BULBS

120V - 60Hz

E26 LED - Max. 3x12 W

NET WEIGHT

5,1lb



20x20x20,9 in
10,6lb



Certifications:



Onn ref. ON04G-LD

LAMPSHADE
Painted stainless steel

One color to choose



Stainless steel

CANOPY
Steel gloss nickel-plated

120V: Ø4,7in

CABLE
Transparent or black

Standard: 78,7 in
Lenght customizable

LED / DIMMABLE

LIGHT SOURCE BUILT-IN

100-277V - 60Hz

17W 2700K 1645lm built-in
upon request 3000K 1776lm

Dimming system PHASE CONTROL & 0-10V
(only 120Vac TRIAC Dimmers)

NET WEIGHT

7,5lb



20x20x20,9 in
12,3lb



Certifications:



Onn ref. ON04XL

LAMPSHADE
Painted stainless steel

One color to choose



Stainless steel

CANOPY
Steel gloss nickel-plated

120V: Ø4,7in

CABLE
Transparent or black

Standard: 78,7 in
Lenght customizable

RECOMMENDED BULBS

120V - 60Hz

E26 LED - Max. 3x12 W

NET WEIGHT

11 lb



28x28x29,5 in

14,5lb



Certifications:



26,4in

Ø 26in



LED

Onn ref. ON04XL-LD

LED / DIMMABLE

LAMPSHADE
Painted stainless steel

CANOPY
Steel gloss nickel-plated

LIGHT SOURCE BUILT-IN

NET WEIGHT

One color to choose

120V: Ø4,7in

100~277V - 60Hz

12,2lb




17W 2700K 1645lm built-in
upon request 3000K 1776lm



Dimming system PHASE CONTROL & 0-10V
(only 120Vac TRIAC Dimmers)

28x28x29,5 in



CABLE
Transparent or black

15,1lb

Standard: 78,7 in
Lenght customizable




Stainless steel

Certifications:



Bottom diffuser



LED

Parga 1 ref. PA104

LED / DIMMABLE

LAMPSHADE
Stone

CANOPY
Steel painted in matt black

LIGHT SOURCE BUILT-IN

NET WEIGHT

Natural color

120V: Ø4,7in

100~277V - 60Hz

5,7lb

Painted Stainless steel

6W 2700K 840lm built-in
upon request 3000K 947lm



Dimming system PHASE CONTROL & 0-10V
(only 120Vac TRIAC Dimmers)


14,2x10,2x7,5 in
6,4lb

Bottom diffuser

CABLE
Black |
Standard: 78,7 in
Lenght customizable



Certifications:



LED

Parga 2 ref. PA204

LED / DIMMABLE

LAMPSHADE
Stone

CANOPY
Steel painted in matt black

LIGHT SOURCE BUILT-IN

NET WEIGHT

Natural color

120V: Ø4,7in

100~277V - 60Hz

4,8lb

Painted Stainless steel

6W 2700K 840lm built-in
upon request 3000K 947lm



Dimming system PHASE CONTROL & 0-10V
(only 120Vac TRIAC Dimmers)

7,9x7,9x13,4 in
5,5lb

Bottom diffuser

CABLE
Black
Standard: 78,7 in
Lenght customizable




Certifications:



LED

Parga 3 ref. PA304

LED / DIMMABLE

LAMP SHADE
StoneCANOPY
Steel painted in matt
black

Natural color

120V: Ø4,7in

Painted Stainless
steelCABLE
Black

Bottom diffuser

Standard: 78,7 in
Lenght customizable

LIGHT SOURCE BUILT-IN

100-277V - 60Hz

6W 2700K 840lm built-in

upon request 3000K 947lm

Dimming system PHASE CONTROL & 0-10V
(only 120Vac TRIAC Dimmers)

NET WEIGHT

4,4lb

7,9x7,9x13,4 in
2,5,1lb

Certifications:

**Pili** ref. PL04-MiniLAMP SHADE
Painted stainless steel
threadCANOPY
Steel gloss nickel-
plated

120V: Ø4,7in

One color: white



B

CABLE
TransparentStandard: 78,7 in
Lenght customizable

RECOMMENDED BULBS

120V - 60Hz

E26 LED - Max. 1x12 W

NET WEIGHT

1,8lb

14,2x14,2x11,8 in
3,3lb

Certifications:

**Pili** ref. PL04LAMP SHADE
Painted stainless steel
threadCANOPY
Steel gloss nickel-
plated

120V: Ø4,7in

One color: white



B

CABLE
TransparentStandard: 78,7 in
Lenght customizable

RECOMMENDED BULBS

120V - 60Hz

E26 LED - Max. 1x12 W

NET WEIGHT

1,8lb

17,3x17,3x15,7 in
5,5lb

Certifications:



Tati ref. TA04-1



LAMPSHADE
Painted stainless steel

One color to choose



CUSTOM
COLOR

Steel gloss nickel-plated
and Stainless steel
y acero inoxidable

CANOPY
Steel painted in
white

120V: Ø4,7in

CABLE
Transparent or black

Standard: 78,7 in
Lenght customizable

RECOMMENDED BULBS

120V - 60Hz

E26 LED - Max. 1x8 W

NET WEIGHT

4,4lb



22x18x14,6 in
6,6lb



Certifications:



LED

Tati ref. TA04-1-LD

LED / DIMMABLE



LAMPSHADE
Painted stainless steel

One color to choose



CUS-
TOM
COLOR

Steel gloss nickel-plated
and Stainless
steel

CANOPY
Steel painted in
white

120V: Ø4,7in

CABLE
Transparent or black

Standard: 78,7 in
Lenght customizable

LIGHT SOURCE BUILT-IN

100~277V - 60Hz

17W 2700K 1645lm built-in
upon request 3000K 1776lm

Dimming system PHASE CONTROL & 0-10V
(only 120Vac TRIAC Dimmers)

NET WEIGHT

4,8lb



22x18x14,6 in
7,1lb



Certifications:



Tati ref. TA04



LAMPSHADE
Painted stainless steel

One color to choose



CUS-
TOM
COLOR

Steel gloss nickel-plated
and Stainless
steel

CANOPY
Steel painted in
white

120V: Ø4,7in

CABLE
Transparent or black

Standard: 78,7 in
Lenght customizable

RECOMMENDED BULBS

120V - 60Hz

E26 LED - Max. 3x12 W

NET WEIGHT

6,8lb



23,6x23,6x13 in
8,8lb



Certifications:





Tati ref. TA04G

LAMPSHADE
Painted stainless steel

One color to choose



CUSTOM COLOR

Steel gloss nickel-plated and Stainless steel

CANOPY
Steel painted in white

120V: Ø4,7in

CABLE
Transparent or black

Standard: 78,7 in
Lenght customizable

RECOMMENDED BULBS

120V - 60Hz

E26 LED - Max. 4x12 W

NET WEIGHT

9,5lb



84x84x38 cm
33,1x33,1x15 in
22,5lb



Certifications:



Tempo Andante ref. TEAN04

LAMPSHADE
Painted stainless steel

One color to choose



CUSTOM COLOR

CANOPY
Steel gloss nickel-plated

120V: Ø4,7in

CABLE
Transparent or black

Standard: 78,7 in
Lenght customizable

RECOMMENDED BULBS

120V - 60Hz

E26 LED - Max. 1x12 W

NET WEIGHT

3,5lb



25,6x12,6x9,1 in

4lb



Certifications:



LED Tempo Andante ref. TEAN04-LD LED / DIMMABLE

LAMPSHADE
Painted stainless steel

One color to choose



CUSTOM COLOR

CANOPY
Steel gloss nickel-plated

120V: Ø4,7in

CABLE
Transparent or black

Standard: 78,7 in
Lenght customizable

LIGHT SOURCE BUILT-IN

100~277V - 60Hz

17W 2700K 1645lm built-in
upon request 3000K 1776lm

Dimming system PHASE CONTROL & 0-10V
(only 120Vac TRIAC Dimmers)

NET WEIGHT

4,6lb



25,6x12,6x9,1 in

5,5lb



Certifications:



Tempo Vivace ref. TEVI04-Mini



LAMPSHADE
Painted stainless steel

CANOPY
Steel gloss nickel-plated

RECOMMENDED BULBS

2,2lb

One color to choose

120V: Ø4,7in

120V - 60Hz

E12 LED - Max. 2x7 W



14,2x14,2x12,2 in
3,3lb



CABLE
Transparent or black



Standard: 78,7 in
Length customizable

Certifications:

LED Tempo Vivace ref. TEVI04-Mini-LD LED / DIMMABLE



LAMPSHADE
Painted stainless steel

CANOPY
Steel gloss nickel-plated

LIGHT SOURCE BUILT-IN

2,9lb

One color to choose

120V: Ø4,7in

100~277V - 60Hz

8W 2700K 960lm built-in




upon request 3000K 1067lm

Dimming system PHASE CONTROL & 0-10V
(only 120Vac TRIAC Dimmers)

14,2x14,2x12,2 in
3,5lb



CABLE
Transparent or black



Standard: 78,7 in
Length customizable

Certifications:

Bottom diffuser

Tempo Vivace ref. TEVI04



LAMPSHADE
Painted stainless steel

CANOPY
Steel gloss nickel-plated

RECOMMENDED BULBS

NET WEIGHT

One color to choose

120V: Ø4,7in

120V - 60Hz

E26 LED - Max. 1x12 W

3,5lb



CABLE
Transparent or black

17,3x17,3x15,7 in
4,8lb



Standard: 78,7 in
Length customizable



Certifications:

LED

Tempo Vivace ref. TEVI04-LD LED / DIMMABLE



LAMPSHADE
Painted stainless steel

CANOPY
Steel gloss nickel-plated

LIGHT SOURCE BUILT-IN

NET WEIGHT

One color to choose

120V: Ø4,7in


100~277V - 60Hz

4,6lb



● 17W 2700K 1645lm built-in
upon request 3000K 1776lm

Dimming system PHASE CONTROL & 0-10V
(only 120Vac TRIAC Dimmers)



CABLE
Transparent or black

Standard: 78,7 in
Lenght customizable

17,3x17,3x15,7 in
6,6lb



Bottom diffuser

Certifications:



Tempo Vivace ref. TEVI04G



LAMPSHADE
Painted stainless steel

CANOPY
Steel gloss nickel-plated

RECOMMENDED BULBS


NET WEIGHT

One color to choose


120V: Ø4,7in

120V - 60Hz

4,4lb



● E26 LED - Max. 1x12 W



CABLE
Transparent or black

Standard: 78,7 in
Lenght customizable

71x71x73 cm
28x28x17 in
6,2lb



Certifications:



LED

Tempo Vivace ref. TEVI04G-LD LED / DIMMABLE



LAMPSHADE
Painted stainless steel

CANOPY
Steel gloss nickel-plated

LIGHT SOURCE BUILT-IN

NET WEIGHT

One color to choose

120V: Ø4,7in

100~277V - 60Hz

4,6lb



● 17W 2700K 1645lm built-in
upon request 3000K 1776lm

Dimming system PHASE CONTROL & 0-10V
(only 120Vac TRIAC Dimmers)



CABLE
Transparent or black

Standard: 78,7 in
Lenght customizable

17,3x17,3x15,7 in
6,6lb



Bottom diffuser

Certifications:





Ura 1 ref. UR104

LAMPSHADE
Painted stainless steel

One color to choose



Stainless steel

CANOPY
Steel gloss nickel-plated

120V: Ø4,7in

CABLE
Transparent or black

Standard: 78,7 in
Lenght customizable

RECOMMENDED BULBS

120V - 60Hz

E26 LED - Max. 1x12 W

NET WEIGHT

4lb



23,6x23,6x13 in
9,2lb



Certifications:



LED

Ura 1 ref. UR104-LD

LAMPSHADE
Painted stainless steel

One color to choose



Stainless steel

CANOPY
Steel gloss nickel-plated

120V: Ø4,7in

CABLE
Transparent or black

Standard: 78,7 in
Lenght customizable

LED / DIMMABLE

LIGHT SOURCE BUILT-IN

100~277V - 60Hz

17W 2700K 1645lm built-in
upon request 3000K 1776lm

Dimming system PHASE CONTROL & 0-10V
(only 120Vac TRIAC Dimmers)

NET WEIGHT

5,1lb



23,6x23,6x13 in
10,4lb



Certifications:



Bottom diffuser



Ura 2 ref. UR204

LAMPSHADE
Painted stainless steel

One color to choose



Stainless steel

CANOPY
Steel gloss nickel-plated

120V: Ø4,7in

CABLE
Transparent or black

Standard: 78,7 in
Lenght customizable

RECOMMENDED BULBS

120V - 60Hz

E26 LED - Max. 1x12 W

NET WEIGHT

2,4lb



18,1x9,4x10,2 in
3,5lb



Certifications:





LED

Ura 2 ref. UR204-LD

LED / DIMMABLE

LAMPSHADE
Painted stainless steel

CANOPY
Steel gloss nickel-plated

LIGHT SOURCE BUILT-IN

NET WEIGHT

One color to choose

120V: Ø4,7in

100~277V - 60Hz

3,7lb



● 17W 2700K 1645lm built-in
upon request 3000K 1776lm



CABLE
Transparent or black

Dimming system PHASE CONTROL & 0-10V
(only 120Vac TRIAC Dimmers)

18,1x9,4x10,2 in
4,6lb

Standard: 78,7 in
Lenght customizable



Stainless steel

Certifications:



Bottom diffuser

Ura 3 ref. UR304



LAMPSHADE
Painted stainless steel

CANOPY
Steel gloss nickel-plated

RECOMMENDED BULBS

NET WEIGHT

One color to choose

120V: Ø4,7in

120V - 60Hz

2,9lb



⚡ E26 LED - Max. 1x12 W



CABLE
Transparent or black

14,2x14,2x12,2 in
3,5lb

Standard: 78,7 in
Lenght customizable



Stainless steel

Certifications:



Ura 3 ref. UR304-LD

LED / DIMMABLE



LAMPSHADE
Painted stainless steel

CANOPY
Steel gloss nickel-plated

LIGHT SOURCE BUILT-IN

NET WEIGHT

One color to choose

120V: Ø4,7in

100~277V - 60Hz

4lb



● 17W 2700K 1645lm built-in
upon request 3000K 1776lm



CABLE
Transparent or black

Dimming system PHASE CONTROL & 0-10V
(only 120Vac TRIAC Dimmers)

14,2x14,2x12,2 in
4,4lb

Standard: 78,7 in
Lenght customizable



Stainless steel

Certifications:



Bottom diffuser



Virginia ref. VG04A

LAMPSHADE	CANOPY	RECOMMENDED BULBS	NET WEIGHT
Painted stainless steel	Steel gloss nickel-plated	120V - 60Hz	7,7lb
One color to choose	120V: Ø4,7in	E26 LED - Max. 1x12 W	20,7x20,7x20,9 in
	CABLE		9,3lb
Stainless steel	Transparent or black		
	Standard: 78,7 in		Certifications:
	Lenght customizable		



LED Virginia ref. VG04A-LD LED / DIMMABLE

LAMPSHADE	CANOPY	LIGHT SOURCE BUILT-IN	NET WEIGHT
Painted stainless steel	Steel gloss nickel-plated	100~277V - 60Hz	8,4lb
One color to choose	120V: Ø4,7in	17W 2700K 1645lm built-in upon request 3000K 1776lm	20,7x20,7x20,9 in
	CABLE	Dimming system PHASE CONTROL & 0-10V (only 120Vac TRIAC Dimmers)	9,9lb
Stainless steel	Transparent or black		
	Standard: 78,7 in		Certifications:
	Lenght customizable		



Virginia ref. VG04B

LAMPSHADE	CANOPY	RECOMMENDED BULBS	NET WEIGHT
Painted stainless steel	Steel gloss nickel-plated	120V - 60Hz	6,6lb
One color to choose	120V: Ø4,7in	E26 LED - Max. 1x12 W	17,3x17,3x15,7 in
	CABLE		8,2lb
Stainless steel	Transparent or black		
	Standard: 78,7 in		Certifications:
	Lenght customizable		



Virginia ref. VG04B-LD

LED / DIMMABLE




LAMPSHADE
Painted stainless steel

CANOPY
Steel gloss nickel-plated

LIGHT SOURCE BUILT-IN

NET WEIGHT

One color to choose



120V: Ø4,7in

100~277V - 60Hz

7,3lb

17W 2700K 1645lm built-in
upon request 3000K 1776lm

Dimming system PHASE CONTROL & 0-10V
(only 120Vac TRIAC Dimmers)



17,3x17,3x15,7 in
8,8lb

CABLE
Transparent or black

Standard: 78,7 in
Lenght customizable




Stainless steel

Certifications:

Bottom diffuser

V ref. VV04




LAMPSHADE
Polycarbonate

CANOPY
Steel painted in
white / black

RECOMMENDED BULBS

NET WEIGHT

One color to choose



120V: Ø4,7in

120V - 60Hz

12lb

E26 LED - Max. 1x8 W



33x33x15 in
21,2lb

CABLE
Transparent or black

Standard: 78,7 in
Lenght customizable



Glass diffuser

Certifications:

V ref. VV04G



LAMPSHADE
Polycarbonate

CANOPY
Steel painted in
white / black

RECOMMENDED BULBS

NET WEIGHT

One color to choose



120V: Ø4,7in

120V - 60Hz

26,5lb

E26 LED - Max. 4x8 W



43,3x43,3x13 in
33lb


CABLE
Transparent or black

Standard: 78,7in
Lenght customizable



Acrylic diffuser

Certifications:



Vento ref. VN04-LD

LED / DIMMABLE

LAMPSHADE
Glass

CANOPY
Stainless steel

LIGHT SOURCE BUILT-IN


NET WEIGHT

One color to choose

120V: 13x11cm | 5,1x4,3in

100~277V - 60Hz
 20W 2700K 2637lm built-in
 upon request 3000K 2721lm
 Dimming system PHASE CONTROL & 0-10V
 (only 120Vac TRIAC Dimmers)


12,3lb



CABLE
Transparent or black



12,2x43,7x10,2 in




Standard: 78,7 in
 Length customizable

21,6lb



Color combination



Certifications:



Bottom diffuser

Woods ref. WD04

LAMPSHADE
Birch

CANOPY
Painted steel

RECOMMENDED BULBS

NET WEIGHT



120V: Ø23,6in

120V - 60Hz
 E26 LED - Max. 1x12 W

31,5lb



CABLE
Transparent

23,6x23,6x13 in
 37,7lb

Glass diffuser



*Height is not adjustable on site

Certifications:




24in



35,4in*

COMPOSITIONS



Agasallo ref. AG04-4-P


LAMPSHADE
Painted stainless steel

CANOPY
Steel painted in black matt

RECOMMENDED BULBS

NET WEIGHT

One color to choose



120V: Ø4,7in

120V - 60Hz

E26 LED - Max. 4x12 W

9,9lb

18,1x9,4x9,8 in

17,3x17,3x15,7 in

18,5x18,5x24,8 in

20x20x20,9 in

4 x REF. PIEZA002
Finish black matt

23,4lb


Stainless steel

CABLE
Black
Lenght customizable



ref. 1xAG104, 1xAG204,
1xAG304, 1xAG404

Certifications:



Ballet ref. BA04-3


LAMPSHADE
Painted stainless steel

CANOPY
DIBOND®
120V: Ø23,6in

RECOMMENDED BULBS

NET WEIGHT

One color to choose



CABLE
Transparent or black
Lenght customizable

120V - 60Hz

E26 LED - Max. 3x12 W

12,6lb



23,6x31,5x46,5 in


30,2lb

Stainless steel

ref. 1xBAPI04, 1xBARE04,
1xBALA04



Certifications:



Ballet ref. BA04-3-P


LAMPSHADE
Painted stainless steel

CANOPY
Steel gloss nickel-plated
120V: Ø4,7in

RECOMMENDED BULBS

NET WEIGHT

One color to choose



3 x REF. PIEZA002
Finish nickel-plated

120V - 60Hz

E26 LED - Max. 3x12 W

7,7lb

23,6x23,6x13 in

17,3x17,3x15,7 in

17,3x17,3x15,7 in

17,2lb

Stainless steel

CABLE
Transparent or black
Lenght customizable



ref. 1xBAPI04, 1xBARE04,
1xBALA04

Certifications:



Coral ref. CO04-3

LAMPSHADE
Painted stainless steel

CANOPY
DIBOND®
120V: Ø23,6in

RECOMMENDED BULBS

NET WEIGHT

120V - 60Hz
E26 LED - Max. 3x12 W

15,2lb

One color to choose



CUSTOM COLOR
Color combinations upon request

CABLE
Transparent or black

Length customizable



23,6x31,5x33,8 in
26,5lb



Certifications:



Stainless steel

ref. 1xCOAU04, 1xCOSE04,
1xCOGA04

Coral ref. CO04-3-P



LAMPSHADE
Painted stainless steel

CANOPY
Steel gloss nickel-plated
120V: Ø4,7in

RECOMMENDED BULBS

NET WEIGHT

120V - 60Hz
E26 LED - Max. 3x12 W

8,9lb

One color to choose



CUSTOM COLOR
Color combinations upon request
N

3 x REF. PIEZA002
Finish nickel-plated

CABLE
Transparent or black

Length customizable



17,3x17,3x15,7 in



17,3x17,3x15,7 in



14,2x14,2x11,8 in

13,6lb



Certifications:



Stainless steel

ref. 1xCOAU04, 1xCOSE04,
1xCOGA04

Coral ref. CO04-5



LAMPSHADE
Painted stainless steel

CANOPY
DIBOND®
120V: Ø23,6in

RECOMMENDED BULBS

NET WEIGHT

120V - 60Hz
E26 LED - Max. 5x12 W

21,2lb

One color to choose



CUSTOM COLOR
Color combinations upon request

CABLE
Transparent or black

Length customizable



23,6x31,5x46,5 in
38,6lb



Certifications:



Stainless steel

ref. 1xCOAU04, 1xCOCY04,
1xCOSE04, 1xCOGA04,
1xCORE04

Coral ref. CO04-5-P



LAMPSHADE
Painted stainless steel

CANOPY
Steel gloss nickel-plated

RECOMMENDED BULBS

NET WEIGHT

One color to choose

120V: Ø4,7in

120V - 60Hz

16,3lb

E26 LED - Max. 5x12 W

17,3x17,3x15,7 in



5 x REF. PIEZA002
Finish nickel-plated

17,3x17,3x15,7 in

14,2x14,2x11,8 in



Color combinations upon request

CABLE
Transparent or black

14,2x14,2x11,8 in

66x32x23 cm
26x12,6x9,1 in

22lb

Stainless steel

Lenght customizable



ref. 1xCOAU04, 1xCOCY04,
1xCOSE04, 1xCOGA04,
1xCORE04

Certifications:



Coral ref. CO04-10



LAMPSHADE
Painted stainless steel

CANOPY
DIBOND®

RECOMMENDED BULBS

NET WEIGHT

One color to choose

120V: Ø47,2in

120V - 60Hz

77,8lb


E26 LED - Max. 10x12 W



CABLE
Transparent or black



31,5x49,2x54,3 in
123,5lb



Stainless steel

Lenght customizable




ref. 2xCOAU04, 1xCOCY04,
2xCOSE04, 2xCOGA04,
2xCORE04, 1xCOAU04G

Certifications:



Curvas ref. CV04C-3



LAMPSHADE
Glass

CANOPY
DIBOND®

RECOMMENDED BULBS

NET WEIGHT


One color to choose

120V: Ø23,6in

120V - 60Hz

17,6lb


E26 LED - Max. 3x12 W



CABLE
Transparent or black



23,6x31,5x37,4 in
35lb



Bottom diffuser

Lenght customizable




ref. 3xCV04
*pictured color: 02

Certifications:




Curvas ref. CV04-7



LAMPSHADE
Glass

One color to choose



Bottom diffuser

ref. 7xCV04
*pictured color: 02

CANOPY
DIBOND®

120V: Ø 39,4in

CABLE
Transparent or black
Lenght customizable

RECOMMENDED BULBS

120V - 60Hz
E26 LED - Max. 7x12 W

NET WEIGHT

39,7lb



31,5x47,2x49,2 in
77lb




Certifications:
cULus

Fluo ref. FL04-4



LAMPSHADE
Galvanized painted
steel

One color: white



ref. 4xFL04

CANOPY
Stainless steel

120V: Ø 5,51in
h 3,9in

CABLE
Transparent
Lenght customizable

RECOMMENDED BULBS

120V - 60Hz
E26 LED - Max. 4x12 W

NET WEIGHT

25lb



30,3x32,3x54,7 in
48,5lb




30,3x32,3x54,7 in
44,1lb



GOOD DESIGN
2009


Certifications:
cULus

Fluo ref. FL04-16



LAMPSHADE
Galvanized painted
steel

One color: white



ref. 16xFL04

CANOPY
Stainless steel

120V: Ø 5,51in
h 5,5in

CABLE
Transparent
Lenght customizable*

RECOMMENDED BULBS

120V - 60Hz
E26 LED - Max. 16x12 W

NET WEIGHT

125,6lb



30,3x32,3x78,7 in



31,5x47,2x78,7 in



30,3x32,3x30,3 in

297lb



GOOD DESIGN
2009

Certifications:
cULus

*Height is not adjustable on site

LED

Mytilus ref. MY04-3


LAMPSHADE
Painted stainless steel

CANOPY
Steel painted in
white or black

LIGHT SOURCE BUILT-IN

NET WEIGHT

One color to choose



BL

N

DIFFUSER
Glass sphere

CABLE
Transparent
Lenght customizable

100-277V - 60Hz

25W 3000K 3201lm built-in
upon request 2700K 2880lm

Dimming system PHASE CONTROL & 0-10V
(only 120Vac TRIAC Dimmers)

56,2lb



35,4x38,2x41,3 in
61,7lb



Certifications:



ref. 3xMY04G

*approximate measurements

11,8in



53,5x55,1in

98,4in

Nevo ref. NE04-6

LAMPSHADE
Painted stainless steel

CANOPY
DIBOND®

RECOMMENDED BULBS

NET WEIGHT

One color to choose



BL

BE

G

T

CUSTOM COLOR Color combinations upon request

CABLE
Transparent
Lenght customizable

120V - 60Hz

E12 LED - Max. 9x7 W

20,7lb



23,6x31,5x41,2 in
40lb



Certifications:



Steel gloss
nickel-plated
and Stainless steel

ref. 3xNE06P, 3xNE04-1

45,3in



35,4x35,4in

98,4in

Nevo ref. NE04-11


LAMPSHADE
Painted stainless steel

CANOPY
DIBOND®

RECOMMENDED BULBS

NET WEIGHT

One color to choose



BL

BE

G

T

CUSTOM COLOR Color combinations upon request

CABLE
Transparent
Lenght customizable

120V - 60Hz

E12 LED - Max. 18x7 W

22lb



31,5x49,2x53,1 in
116,8lb



Certifications:



Steel gloss
nickel-plated
and Stainless steel


ref. 4xNE06P, 7xNE04-1

155,1in



49,2x49,2in

98,4in



Parga ref. PA04-3-L

LAMPSHADE
Stone
Natural color

Painted Stainless
steel

Bottom diffuser

CABLE
Black
Standard: 78,7 in
Lenght customizable

CANOPY
Steel painted in matt
black

120V: Ø 5,6in

2 x REF. PIEZA006



LIGHT SOURCE BUILT-IN

100~277V - 60Hz

18W 2700K 2520lm built-in
upon request 3000K 2841lm

Dimming system PHASE CONTROL & 0-10V
(only 120Vac TRIAC Dimmers)

NET WEIGHT

14,9lb



14,2x10,2x7,5 in


14,2x10,2x7,5 in

7,9x7,9x13,4 in

15,9lb



Certifications:



Parga ref. PA04-3-R

LAMPSHADE
Stone
Natural color

Painted Stainless
steel


Bottom diffuser

CABLE
Black
Standard: 78,7 in
Lenght customizable

CANOPY
Steel painted in matt
black

120V: Ø 5,6in

3 x REF. PIEZA006



LIGHT SOURCE BUILT-IN

100~277V - 60Hz

24W 2700K 960lm built-in
upon request 3000K 1067lm

Dimming system PHASE CONTROL & 0-10V
(only 120Vac TRIAC Dimmers)

NET WEIGHT

14,9lb



14,2x10,2x7,5 in

14,2x10,2x7,5 in

7,9x7,9x13,4 in

15,9lb




Certifications:



Tati ref. TA04-3

LAMPSHADE
Painted stainless steel

One color to choose



CUSTOM
COLOR Color combinations upon
request

Steel gloss
nickel-plated
and Stainless steel

CANOPY
DIBOND®
120V: Ø23,6in

CABLE
Transparent

Lenght customizable

RECOMMENDED BULBS

120V - 60Hz

E12 LED - Max. 6x7 W

NET WEIGHT

13,2lb



23,6x31,5x32,3 in
41,9lb



Certifications:



ref. 3xTA06G



Tati ref. TA04-5

LAMPSHADE
Painted stainless steel

CANOPY
DIBOND®
120V: Ø23,6in

RECOMMENDED BULBS

NET WEIGHT

120V - 60Hz

19,6lb


E12 LED - Max. 8x7 W



One color to choose



CABLE
Transparent
Lenght customizable



Steel gloss
nickel-plated
and Stainless steel

23,6x31,5x32,3 in
55,1lb



Certifications:



ref. 3xTA06G, 2xTA06P



Tati ref. TA04-10

LAMPSHADE
Painted stainless steel

CANOPY
DIBOND®
120V: Ø47,2in

RECOMMENDED BULBS

NET WEIGHT

120V - 60Hz

41,9lb


E12 LED - Max. 16x7 W



One color to choose



CABLE
Transparent
Lenght customizable



Steel gloss
nickel-plated
and Stainless steel

31,5x49,2x53,1 in
121,3lb



Certifications:



ref. 6xTA06G, 4xTA06P



Ura ref. UR04-3

LAMPSHADE
Painted stainless steel

CANOPY
DIBOND®
120V: Ø23,6in

RECOMMENDED BULBS

NET WEIGHT


120V - 60Hz

22,5lb


E26 LED - Max. 3x12 W



One color to choose



CABLE
Transparent or black
Lenght customizable



Stainless steel

23,6x31,5x37,4 in
41,9 lb




Certifications:



ref. 1xUR104, 1xUR204, 1xUR304

WALL & CEILING LAMPS



Ballet ref. BA06

LAMPSHADE
Painted stainless steel

SUPPORT
Painted steel

RECOMMENDED BULBS

NET WEIGHT

One color to choose

MOUNTING
OPTIONS
Wall lamp

120V - 60Hz

E26 LED - Max. 1x8 W

1,3lb




17,3x17,3x7,9 in
4,2lb



CUSTOM
COLOR



Certifications:



LED

Ballet ref. BA06-LD

LAMPSHADE
Painted stainless steel

SUPPORT
Painted steel

LED / DIMMABLE

NET WEIGHT

One color to choose

MOUNTING
OPTIONS
Wall lamp

100~277V - 60Hz

8W 2700K 960lm built-in

upon request 3000K 1067lm

Dimming system PHASE CONTROL and 0-10V
(only 120Vac TRIAC Dimmers)

2,3lb



17,3x17,3x7,9 in
5,1lb



CUSTOM
COLOR



Certifications:

Inside diffuser



Blum ref. BL06

LAMPSHADE
Painted stainless
steel thread

SUPPORT
Painted steel

RECOMMENDED BULBS

NET WEIGHT

One color: white



B

MOUNTING
OPTIONS
Wall lamp

120V - 60Hz

E26 LED - Max. 1x12 W

2,4lb



17,3x17,3x15,7 in
3,3lb



Certifications:



Cors ref. CR06


LAMPSHADE
Painted stainless steel

SUPPORT
Stainless steel

RECOMMENDED BULBS

NET WEIGHT

One color to choose



BL

BE

G

T

CUSTOM
COLOR

MOUNTING
OPTIONS
Wall lamp

120V - 60Hz

G9 LED - Max. 2x4 W


1,3lb



20,1x7,5x10,6 in
2,2lb



Certifications:



LED Cors ref. CR06-LD

LED / DIMMABLE


LAMPSHADE
Painted stainless steel

SUPPORT
Steel gloss
nickel-plated
and stainless steel

LIGHT SOURCE BUILT-IN

NET WEIGHT

One color to choose



BL

BE

G

T

CUSTOM
COLOR

MOUNTING
OPTIONS
Wall lamp

100-277V - 60Hz

8W 2700K 960lm built-in

upon request 3000K 1067lm

Dimming system PHASE CONTROL and 0-10V

(only 120Vac TRIAC Dimmers)


2,4lb




20,1x7,5x10,6 in
3,3lb



Certifications:





Curvas ref. CV06


LAMP SHADE
Glass

SUPPORT
Stainless steel

RECOMMENDED BULBS

NET WEIGHT

One color to choose



MOUNTING
OPTIONS
Wall lamp

120V - 60Hz

E12 LED - Max. 2x7 W


3,7lb



25,6x12,6x9,1 in
6,5lb



Certifications:



Gea ref. GE06


LAMP SHADE
Painted stainless steel

SUPPORT
Stainless steel

RECOMMENDED BULBS

NET WEIGHT

One color to choose



MOUNTING
OPTIONS
Wall lamp

120V - 60Hz

G9 LED - Max. 2x4 W

1,3lb



14,2x10,2x7,5 in
2,2lb



Certifications:



Gea ref. GE06-LD

LED / DIMMABLE


LAMP SHADE
Painted stainless steel

SUPPORT
Steel gloss
nickel-plated
and stainless steel

LIGHT SOURCE BUILT-IN

NET WEIGHT

One color to choose



MOUNTING
OPTIONS
Wall lamp

100-277V - 60Hz

8W 2700K 960lm built-in
upon request 3000K 1067lm
Dimming system PHASE CONTROL and 0-10V
(only 120Vac TRIAC Dimmers)

2,4lb




14,2x10,2x7,5 in
3,3lb



Certifications:





Kala ref. KL06

LAMPSHADE
Painted stainless steel

SUPPORT
Stainless steel

RECOMMENDED BULBS

NET WEIGHT

120V - 60Hz

1,3lb

G9 LED - Max. 2x4 W



14,2x10,2x7,5 in
2,2lb

One color to choose


MOUNTING
OPTIONS
Wall lamp



CUSTOM
COLOR



Certifications:



LED Kala ref. KL06-LD

LAMPSHADE
Painted stainless steel

SUPPORT
Steel gloss
nickel-plated
and stainless steel

LED / DIMMABLE

NET WEIGHT

One color to choose

100-277V - 60Hz

2,4lb

8W 2700K 960lm built-in

upon request 3000K 1067lm

Dimming system PHASE CONTROL and 0-10V
(only 120Vac TRIAC Dimmers)



14,2x10,2x7,5 in
3,3lb



CUSTOM
COLOR

MOUNTING
OPTIONS
Wall lamp



Certifications:

Inside diffuser



LED Kite ref. KT06-LD

LAMPSHADE
Painted stainless steel

SUPPORT
Stainless steel

LED / DIMMABLE

NET WEIGHT

100-277V - 60Hz

18,7lb

17W 2700K 3636lm built-in

upon request 3000K 3780lm


Dimming system PHASE CONTROL and 0-10V
(only 120Vac TRIAC Dimmers)



28x28x5,9 in
20,3lb

One color to choose

MOUNTING
OPTIONS
Wall & ceiling lamp



CUSTOM
COLOR



Certifications:



LED

Kite ref. KT06G-LD

LED / DIMMABLE

LAMPSHADE
Painted stainless steel

SUPPORT
Stainless steel

LIGHT SOURCE BUILT-IN

NET WEIGHT

100 - 277V - 60Hz

16,5lb

□□□□ 34W 2700K 7272lm built-in

upon request 3000K 7560lm


Dimming system PHASE CONTROL and 0-10V
(only 120Vac TRIAC Dimmers)



40,1x40,1x5,1 in
24,2lb

One color to choose

MOUNTING
OPTIONS
Wall & ceiling lamp



Certifications:



LED

Li ref. LI06

LED / DIMMABLE

LAMPSHADE
Pressed Cellulose

SUPPORT
Stainless steel

LIGHT SOURCE BUILT-IN

NET WEIGHT

120V - 60Hz

2,6lb

□□□□ 11,8W 2700K 1546lm built-in

upon request 3000K 1805lm

Dimming system PHASE CONTROL and 0-10V
(only 120Vac TRIAC Dimmers)




12,6x25,6x9 in
4,4lb

One color to choose

MOUNTING
OPTIONS
Wall lamp



Certifications:



LED

Li ref. LI06G-D

LED / DIMMABLE

LAMPSHADE
Pressed Cellulose

SUPPORT
Stainless steel

LIGHT SOURCE BUILT-IN

NET WEIGHT

100 - 277V - 60Hz

6,4lb

□□□□ 17W 2700K 2558lm built-in

upon request 3000K 2632lm

Dimming system PHASE CONTROL and 0-10V
(only 120Vac TRIAC Dimmers)



43,3x12,2x9,8 in
10,4lb


One color to choose

MOUNTING
OPTIONS
Wall lamp



Certifications:





6,3in

23,6in

LED

Mytilus ref. MY06

LAMPSHADE
Painted stainless steel

SUPPORT
Steel gloss
nickel-plated

One color: white



BL

MOUNTING
OPTIONS
Wall lamp

DIFFUSER
Glass sphere

16,9in

*approximate measurements

LED / DIMMABLE

LIGHT SOURCE BUILT-IN

NET WEIGHT

100 - 277V - 60Hz

8W 2700K 960lm built-in
upon request 3000K 1067lm

Dimming system PHASE CONTROL and 0-10V
(only 120Vac TRIAC Dimmers)

6,6lb



23,6x23,6x8,7 in
9,9lb



Certifications:



12,2in



6,7in

12,2in

Nevo ref. NE06P

LAMPSHADE
Painted stainless steel

SUPPORT
Steel gloss
nickel-plated
and stainless steel

One color to choose



BL

BE

G

T



Steel gloss
nickel-plated
and stainless steel

MOUNTING
OPTIONS
Wall lamp

RECOMMENDED BULBS

NET WEIGHT

120V - 60Hz

G9 LED - Max. 1x4 W

1,8lb



14,2x14,2x12,2 in
4lb



Certifications:



12,2in



7,9in

12,2in


LED

Nevo ref. NE06P-LD

LAMPSHADE
Painted stainless steel

SUPPORT
Steel gloss
nickel-plated
and stainless steel

One color to choose



BL

BE

G

T



Steel gloss
nickel-plated
and stainless steel

MOUNTING
OPTIONS
Wall lamp

LED / DIMMABLE

LIGHT SOURCE BUILT-IN

NET WEIGHT

100 - 277V - 60Hz

8W 2700K 960lm built-in
upon request 3000K 1067lm

Dimming system PHASE CONTROL and 0-10V
(only 120Vac TRIAC Dimmers)

2,6lb



14,2x14,2x12,2 in
4lb



Certifications:



Nevo ref. NE06

14,9in



14,9in

9in

LAMPSHADE
Painted stainless steel


SUPPORT
Steel gloss
nickel-plated
and stainless steel

RECOMMENDED BULBS

NET WEIGHT

120V - 60Hz

2,4lb

 E12 LED - Max. 2x7 W



One color to choose



**MOUNTING
OPTIONS**

Wall lamp



Steel gloss
nickel-plated
and stainless steel

14,2x14,2x12,2 in
4,8lb



Certifications:



LED

Nevo ref. NE06-LD

14,9in



14,9in

9,8in

LAMPSHADE
Painted stainless steel

SUPPORT
Steel gloss
nickel-plated
and stainless steel


LED / DIMMABLE

LIGHT SOURCE BUILT-IN

NET WEIGHT

100 - 277V - 60Hz

3,1lb

 8W 2700K 960lm built-in
upon request 3000K 1067lm

Dimming system PHASE CONTROL and 0-10V
(only 120Vac TRIAC Dimmers)



One color to choose



**MOUNTING
OPTIONS**

Wall lamp



Steel gloss
nickel-plated
and stainless steel

14,2x14,2x12,2 in
4,8lb



Certifications:



Inside diffuser

Onn ref. ON06

19,7in



16,5in

7,1in

LAMPSHADE
Painted stainless steel

SUPPORT
Painted steel

RECOMMENDED BULBS

NET WEIGHT


120V - 60Hz

6,6lb

 E26 LED - Max. 1x8 W



One color: white



**MOUNTING
OPTIONS**


Wall & ceiling lamp

46x52x30 cm
18,1x20,5x11,8 in
9,7lb



Certifications:





Onn ref. ON06-LD

LED / DIMMABLE

LAMPSHADE
Painted stainless steel

SUPPORT
Painted steel

LIGHT SOURCE BUILT-IN

NET WEIGHT

One color: white

MOUNTING
OPTIONS
Wall lamp

100 - 277V - 60Hz
15W 2700K 2860lm built-in
upon request 3000K 2945lm
Dimming system PHASE CONTROL and 0-10V
(only 120Vac TRIAC Dimmers)

7,7lb



Inside diffuser



18,1x20,5x11,8 in
9,7lb



Certifications:



Onn ref. ON06G

RECOMMENDED BULBS

NET WEIGHT

LAMPSHADE
Painted stainless steel

SUPPORT
Painted steel

120V - 60Hz
E26 LED - Max. 3x8 W

15,4lb

One color: white

MOUNTING
OPTIONS
Wall lamp



28x28x12,6 in
17,6lb



Certifications:



Planum ref. PM06R-LD

LED / DIMMABLE

LAMPSHADE
Painted stainless steel

SUPPORT
Steel painted in white

LIGHT SOURCE BUILT-IN


NET WEIGHT

One color to choose

MOUNTING
OPTIONS
Wall & ceiling lamp

100 - 277V - 60Hz
34W 2700K 7272lm built-in
upon request 3000K 7560lm
Dimming system PHASE CONTROL and 0-10V
(only 120Vac TRIAC Dimmers)

14,6lb



40,1x40,1x5,1 in
22lb



Certifications:



Planum ref. PM06PR-LD

LED / DIMMABLE

LAMPSHADE

Painted stainless steel

SUPPORT

Steel painted in white

LIGHT SOURCE BUILT-IN

100 - 277V - 60Hz

17W 2700K 3636lm built-in


upon request 3000K 3780lm

Dimming system PHASE CONTROL and 0-10V
(only 120Vac TRIAC Dimmers)

NET WEIGHT

6,2lb

One color to choose



MOUNTING OPTIONS

Wall & ceiling lamp



40,1x20,8x5,1 in
11lb




Certifications:



3,1 in

Tati ref. TA06



LAMPSHADE

Painted stainless steel

SUPPORT

Stainless steel

RECOMMENDED BULBS

120V - 60Hz

G9 LED - Max. 2x4 W

NET WEIGHT

1,1lb

One color to choose



MOUNTING OPTIONS

Wall lamp



13,7x9,8x6,7 in
2,2lb



Certifications:




5,9 in



Tati ref. TA06-LD

LED / DIMMABLE



LAMPSHADE

Painted stainless steel

SUPPORT

Steel gloss nickel-plated and stainless steel

LIGHT SOURCE BUILT-IN

100 - 277V - 60Hz

8W 2700K 960lm built-in

upon request 3000K 1067lm

Dimming system PHASE CONTROL and 0-10V
(only 120Vac TRIAC Dimmers)

NET WEIGHT

1,5lb

One color to choose



MOUNTING OPTIONS

Wall lamp



13,7x9,8x6,7 in
2,2lb




Certifications:



5,9 in

Tati ref. TA06P



LAMPSHADE
Painted stainless steel

SUPPORT
Steel gloss
nickel-plated
and stainless steel

RECOMMENDED BULBS

NET WEIGHT

One color to choose



CUSTOM
COLOR

**MOUNTING
OPTIONS**
Wall lamp

120V - 60Hz

G9 LED - Max. 1x4 W

1,8lb



14,2x14,2x12,2 in
2,2lb




Certifications:



LED

Tati ref. TA06P-LD



LAMPSHADE
Painted stainless steel

SUPPORT
Steel gloss
nickel-plated
and stainless steel

LED / DIMMABLE

LIGHT SOURCE BUILT-IN

NET WEIGHT

One color to choose



CUSTOM
COLOR

**MOUNTING
OPTIONS**
Wall lamp

100 - 277V - 60Hz

8W 2700K 960lm built-in

upon request 3000K 1067lm

Dimming system PHASE CONTROL and 0-10V
(only 120Vac TRIAC Dimmers)

2,6lb




14,2x14,2x12,2 in
3,3lb



Certifications:



Tati ref. TA06G




LAMPSHADE
Painted stainless steel

SUPPORT
Steel gloss
nickel-plated
and stainless steel

RECOMMENDED BULBS

NET WEIGHT

One color to choose



CUSTOM
COLOR

**MOUNTING
OPTIONS**
Wall lamp

120V - 60Hz

E12 LED - Max. 2x7 W

2,2lb




20,5x18,5x12,2 in
5,3lb



Certifications:





Tati^{ref.} TA06G-LD

LAMPSHADE
Painted stainless steel

SUPPORT
Steel gloss
nickel-plated
and stainless steel

One color to choose



Steel gloss
nickel-plated
and stainless steel

**MOUNTING
OPTIONS**
Wall lamp

LED / DIMMABLE

LIGHT SOURCE BUILT-IN

100 - 277V - 60Hz
 8W 2700K 960lm built-in
 upon request 3000K 1067lm
 Dimming system PHASE CONTROL and 0-10V
 (only 120Vac TRIAC Dimmers)

NET WEIGHT


3,1lb



20,5x18,5x12,2 in
5,3lb



Certifications:



Venus^{ref.} VE06

LAMPSHADE
Painted stainless steel

SUPPORT
Painted steel in the
same color that
lampshade

One color to choose



**MOUNTING
OPTIONS**
Wall lamp

LED / DIMMABLE

LIGHT SOURCE BUILT-IN

100 - 277V - 60Hz
 4W 2700K 1060lm built-in
 Dimming system PHASE CONTROL and 0-10V
 (only 120Vac TRIAC Dimmers)

NET WEIGHT

3,5lb



17,3x17,3x7,9 in
5,7lb




Certifications:



ACCESORIOS

CANOPY & PIECE TO MOVE THE ELECTRIC CABLE



PIECE TO HOLD
THE STEEL CABLE
REF. PIEZA004

PIECE TO MOVE
THE ELECTRIC CABLE
REF. PIEZA002

FINISH IN BLACK COLOR
REF. PIEZA006

Option for luminaires
with electric cable only

Option for luminaires with
electric and steel cable

CANOPY |

Canopy small Ø80mm

Finishing nickel-plated

Maximum 3 outputs

Ref. CAN8



Canopy medium Ø120mm

Finishing nickel-plated

Maximum 8 outputs

Ref. CAN12



Type 1
One side output



Type 2
Around side output



Type 3
Downward output



Finishing black matt
For compositions
with black cable

Canopy large Ø142mm

Finishing nickel-plated

Maximum 16 outputs

Ref. CAN14



Output number
From 2 to 16
For a larger number of outputs, consult with us

Canopy recessed

Finishing matt white
or matt black

Ref. CAN-BL

Ref. CAN-N



Ref. CAN-BL



Ref. CAN-N



Headquarters:
Calor Color S.L.
C/ Castiñeiras 108A.
15895 O Milladoiro, A Coruña, Spain.
T. +34 981 814 600

info@a-emotionallight.com
www.a-emotionallight.com

a by emotional light inc.
1460 Broadway Ste 6025 New York, NY 10036 US
T. +1 323 599 6363

©2023 Calor Color S.L.
All rights reserved.
Legal deposit:
Printed by Agencia Gráfica. Santiago de Compostela. Spain.



